Return to P. a. de Mont 1. 306 E. Jefferson Foura Cety, Journ

In the new A.O.U. Check-List, 4th Edition, the records of several rare or accidental species, formerly reported or recently found to occur in Iowa, are omitted in the delimeation of ranges for these species.

During the year 1932, while securing information for a Revised Birds of Iowa, practially all of the collections containing Iowa birds were examined. The following rare or accidental specimens were found to be definite Iowa records. Some of these were recognized in the Check-List, but it seems advisable to publish the entire findings. While this may not be a complete summation of all such specimens a detailed record will be contained in the forthcoming Iowa list. All excepting the Pacific Loom were examined by the writer.

Pacific Loom. One in the collection of Mr. H.J. Giddings of Sabula; killed on the Mississippi River, November 16, 1895 by identified by Dr. C. Hart Merriam. See Andersons' Birds of Iowa, 1907, pp. 151-152.

7. Brown Pelican, Afully plumaged adult, taken in Boome County, along the Des Moines River in 1905, is now in the Boome Public Library. See Anderson p. 163.

white-faced Glossy Ibis. Affully plumaged adult, taken near Rippey, Calhoun County, in April, 1891, is now in the Iowa University Museum. Oscar P. Allert, of Giard, has an immature specimen taken at McGregor, which is probably, this species. Another low-plumaged bird, collected at Lake Okoboji, is in the collection of Frank Tennant, Arnolds Park.

American Eider. There is a mounted specimen, a male, in the collection of the Sioux City Academy of Science, that

Prohis aprening

In the set A.O.U. Check-List, fett of severel rare or secidental or recently found to occur in lows, delinestion of reases for these species. E CALLAN B Durive to tear 1952, while security Revised hirds of lows, practicily contains lows birds were exacts or accidental apocinens were found to records, Lose of these were recorning while this may not be a complete specimens s detailed record will wo of Sabula; killed on the Mississip November 16. 1 idestified by Dr. C. Hert-Marrism, See Andersons' Birds of lows, 1907, Dp. dal-152. Brown I relet, tlubs Seessolt william in Boome County, slose the Des Moines Hiver in 1905, is now in the Roome Inhits Library, See the ergon D. 163. White-faced Closey This, A fully plumared adult, taken near nippey, Calnoun County, in April, 1891, is now in the lows University museum. Oscer F. Allert, of Gierd, has an immeture specimen taken at McGregor, which is probably this species, Another low-plumaged bird, collected at Lake Okoboji is in the collection of Frank Tennent, Arnolds Perk. American Hider. There is a mounted specimen, a male, in the collection of the Sioux City Academy of Science, that

was collected by Dr. Guy C. Rich in Woodbury County, November 1, 1901. Although the bird is in low plumage, the bill processes are diagnostis of this species. The Academy collection is housed in the Sioux City Public Library.

King Eider. A low plumaged male, in the collection of the Iowa University Museum, was secured by Wm. E. Praeger at Keokuk, on November 18, 1894. See Anderson, p.179.

Surf Scoter. One in the collection of O. W. Remer,

La Mars, was killed at Blue Lake, Monona County, Nowember

16, 1919. See Stephens, Iowa Acad. of Sc., XXVII, pp.398-399.

A fully plumaged male, killed during 1929 at Spirit Lake,

is in the collection of Harry Tennant, Arnolds Park. There

is a female, collected at Cedar Falls, in the Museum of

the Iowa State Teachers College, Cedar Falls. In the

Museum of Natural History, University of Iowa Athere are

two specimens, one taken at Burlington by Paul Bartsch,

November 22, 1895, and a juvenal female collected during

November, 1930, by Herbert Dill, at Amana, Iowa County.

Mississippi Kite. Two specimens that were secured August 26, 1884, near Burlington and mounted by Charles Buettner, are in the collection of the Iowa Weseleyan College, Mt. Plesant. Bailey (Raptorial Birds of Iowa, 1918, p. 57) gives the date of capture as the fall of 1887 but the label on one specimen reads as above.

Prairie Falcon. Harry Tennant has two specimens in his collection both taken at Lake Okoboji. One was taken during duck shooting time, about 1927, the other in the fall of 1925. An adult, probably a female, was secured in Story County

The date marched

grugunth

during the fall of 1927, by D. J. Bullock and the mounted specimen is in his collection at Des Moines.

Richardson's Pigeon Hawk. There is a single speciment in the collection of the Towa University Museum, It is an unsexed specimen, but probably a female, collected by R. M. Anderson at Forest City, Winnebago County, December 18, 1894. The Bond specimens of both this species and the Prairie Falcon, taken at Storm Lake, cannot be found. See Anderson pp. 255 and 257.

Western Sandpiper. Three specimens taken by Paul Bartsch at Burlington, October 15, 1895, are in the lows University Museum. There are two males and a female.

Avocet. An immature specimen, taken in Cedar County, September 17, 1910, is in the collection at Coe College.

A female collected October 1, 1929 at Amana, Iowa County, and a female taken at Iowa City, April 22, 1902, by H. C. Fairchild, are mounted and in the Iowa University Museum.

Parasitic Jaeger. In the collection at Coe College there is a specimen secured Setember 20, 1905, at Eagle Lake, Hancock County, by B. H. Bailey. An immature male, collected by William E. Praeger at Keokuk, October 6, 1891, is in the collection at the lows University Museum.

Long-tailed Jeeger. A fully plumaged male, in the lows University Museum, was collected by Chas. Prizler, at Lone Tree, Johnson County, June 15, 1907. See Anderson, Auk, XXV, 1908, p. 215%.

Sabine's Gull. There are two specimens in the collection of the Iowa University Museum taken by Paul Bartsch at

+ contribe

during the fall of 1927, by D. J. Bullock and the mounted specimen is in his collection at Des Moines.

Richardson's Pigeon Hawk. Inere is a single spectment in the collection of the Towa (University Museum, It is an unsexed specimen, but probably a female, collected by R. M. Anderson at Forest City, Winnebago County, December 18, 1894. The Bond specimens of both this species and the Prairie Falcon, taken at Storm Lake, cannot be found. See Anderson pp. 255 and 257.

avoidington, actobel of less, are in the Ione University of Morndon.

About 1930 Calleton university.

About 1930 Calleton university.

Avocet. An immature specimen, taken in Ceder County, September 17, 1910, is in the collection at Coe College.

A female collected October 1, 1929 at Amena, lows County, and a female taken at lows City, April 22, 1902, by H. C. Feirenild, are mounted and in the lows University Museum.

Parasitic Jacger. In the collection at Ooc College there is a specimen secured Setember 20, 1905, at Eagle Lake, Hancock County, by D. H. Belley. An immature male, collected by William E. Praeger at Keokuk, October 6, 1891, is in the collection at the Tows University Museum.

Long-tailed Jeeper. A fully plumaged male, in the lows University) museum, was collected by Ches. Prizler, at Lone Tree, Johnson County, June 15, 1807. See Anderson (Auk, XXV, 1808, p. 215).

Sabine's Gull. There are two specimens in the collection of the love University Museum taken by Payl Bartson at

allular +

Burlington, One, a female, was taken October 12, 1894; the other, a male (?), was secured October 15, 1891. An unsexed specimen in the collection of the Davenport Public Museum was taken in Scott County by a Dr. Allen, but no date is recorded.

Atlantic Kittiwake. An immature specimen was collected by James R. Harlan, at Des Moines, November 22, 1931. The specimen is mounted in the collection at the State Historical Museum, Des Moines. See DuMont, Auk, XIX, 1933, pp.

the name B. V. ballecome stone. The

Brunnich's Murre. The specimen secured by Frank C. Pellett at Atlantic, Cass County, on December 16, 1896, is now in the collection of Dr. T. C. Stephens, Sioux City. See Anderson, p. 153, and Sulling, wilson Bullitan, XLIV, 1932, p. 259.

Arctic Horned Owl. A typical example of this very light plumaged bird was taken in Johnson County during January, 1889. It is a female, and is the collection of the Nowa University Museum. Another unsexed specimen was secured by Charlest Hagelin at Sioux City, during February, 1889. It is in the D. H. Talbot collection.

Sennett's Nighthawk. One specimen in the D. H. Smith SAC collection at Odebolt, taken in Floyd County. There is a male in the collection of the Iowa University Museum, that was collected at Sioux City, July 21, 1884, by one of Talbot's collectors. The identification was confirmed by Robert Ridgway. Another specimen, taken in Boone County, by Carl Fritz Henning, is reported as being in the Smithsonian Institution (National Museum), but it was not examined by the writer.

+ strukt (1)

Burlington, One, s fengle, was taken October 15, 1894; the other, a mele (?), was secured October 15, 1891. An unsexed specimen in the collection of the Davenport Public Museum was taken in Scott County by a Dr. Allen, but no date is

MARCH TO SUBSCIENCE STAY STAY STAY

county aperimens was listed as # 3341 female, January 18, 1889, but should be # 33 43 with date as above. specimen is mounted in the collection at the State i

Luseum, Des Moines. See Du cont, Auk, XIX, 1933, pp.

Brunnich's Larre. The specimen secured by Frank C. Pellett et Atlentic, Cess County, on December-16, 1896, is now in the collection of Dr. T. C. Stephens, Sloux City. See Anderson, p. 163, ast Malana witness College, Mary 1938, 1 854.

Arctic Horned Owl. A typical example of this very light plume ed bird was taken in Johnson County duning January, 1889. It is a female, and is the collection of the Town University Luseum. Another unsexed specimen was scoaged by Gerles degelin at Sloux City, during February 1889. It is in too D. W. Telbot collection,

Sennett's Mighthawk. One specimen in the D. M. Smith collection at Odebolt, taken in Ployd County. There is a male in the collection of the lows University Museum, that was collected at Sloux City, July 21, 1884, by one of Tolbot's collectors. The identification was confirmed by Robert Eldgaey, Another specimen, taken in Boone County, by Carl Fritz denning, is reported as being in the Smithsonian Institution (National Museum), but it was not examined by the

Indent

Northern Horned Lark. There are two typical specimens in the collection at Coe College. A female collected by Charles Shepard, January 24, 1930, in Linn County; and an unsexed specimen secured by Walter Rosene, February 3, 1929, 44 at Ogden, Boone County.

Hour)

Hoyt's Horned Lark. A male, taken by John E. Swanson, one of Talbot's collectors, at Seargent's Bluff's January 1, 1886, is in the collection of the Towa University Museum. See Anderson P.293.

Clarke's Nutcracker. There is a specimen in the B. H.

Smith collection at Odebolt, taken in Floyd County. See

Spurrell Wilson Bull., XXXI, p. 123/. An unsexed specimen,
in the Towa University Museum, was secured by Cal Brown, near

Boone, on September 23, 1894. See Anderson p.297. Another

specimen was taken by A. W. Hemphill, on November 27, 1919,
at Tiffin, Johnson County. It is mounted in the University

Museum.

Carolina Chickadee. A specimen in the Museum at Coe College was collected by George H. Berry, at Keokuk, May 4, 1888.

Russet-backed Thrush. In the Dwight collection at the American Museum of Natural History, New York City, there is a male collected May 20, 1907, at Meokuk. This bird was formerlly in the C. K. Worthen collection. See DuMont, Wilson Bull., XL1, p. 252.

Arctic Townee. There is a male and a female in the collection of Wm. Youngworth, Sioux City, collected at Hinton, Plymonth County. See Youngworth Wilson Bull., XLIII,

Northern Horned Lark. There are two-typical specimens in the collection at Coe College. A female collected by Chartes Enapsed, January 24, 1980, in Linn Courty; and an unsexed apecimen secured by Walter Rosene, February 3, 1929, 44 at Ogden, Boone County.

Soyt's Horned Lark. A male, taken by John E. Swanson, one of Talbot's collectors, at Seargent's Bluff, January 1, 1886, is in the collection of the Towa University Eussum. See

house no nearest the index named allers speciment bound algorithms and the telephones of telephones of the telephones of telephones

Russet-becked Torush. In the Dwight collection at the American Museum of Natural Statory, New York City, there is a male collected May 20, 1807, at Meokuk. This bind was formerlly in the C. K. Northen collection. See Dumont, Wilson Bull., XLI, p. 252.

Arctic Townee. There is a male and a female in the collection of Wm. Youngworth, Sloux City, collected at Hinton, Plymonth County. See Youngworth Wilson Bull., XIIII,

p. 223. A male in the T. C. Stephens collection, Sioux City, was taken in Plymonth County by Youngworth.

Old-squares Univ. of Fourance is not 22, 1893 of Ales Marson 160.63 nov 22, 1895 Bullyton Particle 14157 nov 22, 1895 of Ales Marson es ini et 160.63 nov 22, 1895 Bullyton Particle Rosene South Call 1 ree Hurrell inten Bull. 1917, XXIX A. 141 · naispill som in Jefferen co. Cro (2) & Builington, B.H. B; & 900 22, 1895, Builington, B.H.B. Celar Fella March 13, 1901 by A gralls Terment 2 Spirit take. Mh Bird Review a spec shat Carth Lake blee 8, 1800, heads for iden J.E. Wolloce mended on conten lake opil 19, 1928 der mitchell when one 5 mi east of Tehaman, Rud Co., nov 21, 1931 m. Feet inneant of Anismin Oct 19,1932 Wwood of Council Neigh short a of