Dennis Carter 319-382-3754 P.O. Box 531 Decorah, IA 52101 Angust 1, 1998

FIELD REPORTS - SUMMER 1998

Entero

## GENERALTRENDS

I spent more time than usual birding this summer, including weekly visits to Cordinal Marsh. Waterlevels remained high at Cardinal and this locality had an ususual variety of Waterbirds.

## SPECIES DATA

All records are from Winneshielt Co., unless otherwise noted, and general comments refer to this county.

Least Bittern : Present at Cardinal Marsh throughout the period; most were 3 seen on 2 Jul.

Great Blue Heren: The large colony near Bluffton held at least 50 young birds in early Zune (Lindsay Lee).

<u>Mallard</u>: 50 were at Cardinal M. on 3 June and a few broods were noted later; number present had increased to 94 on 27 Jul.

Northern Shoveler: A male was seen at Cordinal M. on 3 Jun and 3 males and a female on 10 Jun; none later. <u>Hooded Menganser</u>: 2 females were seen at a Burr Oak farm pond on 5 and 7 June; a female was seen at Cordinal M. on 10 Jun.

<u>Ruddy Duck</u>: Records from Cardinal M. included a male on 22 Jun, 2 males on 8 Jul, and a pair on 15 Jul. No evidence of nesting was noted. Dennis Carter

SUMMER 1998 (continued) Northern Harrier : Singles were seen at Cardinal M. on 15 Jul and at Hayden Prairie, Howard Co. on 18 Jul. Copper's Hawk: Present at Lake Meyer Cr. Park in June (Lovry Reis); also I seen at Effisy Mounds Not. Mon., A Kamakee Co. on 20 Jun. Broad-winged Hawk - An adult was seen at Effigy Mounds, Allamakee Co. on 25 Jul. Common Morrhen - I was seen at Cardinal M. on 15 Jul. American Cupt: 22 adults and 3 juniles were at Cardinal M. on 2 Jul; at least 3 broods were found there, later in Jul. Sandhill Crane: Two, apparently a non-breeding pair, were at Cardinal M. throughout the period, I had only a few spring records for this locality. Upland Sandpiper: Larry Reis found singles near Spillville in June and near Decorah in Jul. Semipalmated Sandpiper: \* flock of 18 was at a Burr Oak form pond on 5 Jun, and 8 were still there on 7 Jun. Least Sandpiper: First returning birds wers at Fort Atkinson Sewage Ponds on 23 Jul. Baird's Sandpiper: A single was at Fort Atkinson Sewage Ponds on 23 and 30 Jul. Caspian Tern: 1 (also observed by Darwin Toenig) was at Cardinal M. on 3 Jun. Forster's Tern I was at Cardinal M. on 15 Jul.

Dennis Carter

## SUMMER 1998 (continued)

Black Tern: 4 were seen at Cardinal M. on 3 Jun and 9 at the Burr Oak Farm pond (Winter's Pond) on 12 Jun. Ruby-threated Hummingbird: A few were found in Winneshielt Co. Yellow-bellied Sapsucher : 2 were seen at Late Meyer, Co. Park on 7 and 30 Jul. Olive-sided Flycatcher : A late individual was seen at Cardinal M. on 10 Jun. Willow Flycatcher - Singing birds (up to 6) were at Cardinal M. throughout the period; also found in Allamalie Cu. <u>Cliff Swallow</u>: The large colony at Bluffton was deserted but smaller colonies of a few dozen each were found at bridges throughout Winneshielt Co. Sedge Wren : A few singing birds were at Cordinal M.; also 8 at Harden Prairie, on 18 July, and my first record for Effigy Mounds, Allomatie Cv. on 25 July. Word Thrush : I few were found in wooded areas in Allamattee and Winneshielt counties. Bell's Viveo : A mole was singing on territory at Cardinal M. to 15 Jul, when 2 very agitated individuols were present. Blue-winged Warbler: I found at Coon Creek, Winneshielt Co. <u>Chestnut-sided Warbler</u>: A singing male was seen at Willowglen Nursery, Burr Oak, Winneshiek Co. on 5 Jun.

3

Dennis Carter

## SUMMER 1998 (continued)

4

American Redstart ; fewer than usual Ovenbird ; A few were found in wooded areas in Allamatiee and Winneshielt counties. <u>Yellow-breasted Chat</u> : ( seen at Late Merer Co. Park on 23 Jul was my first for Winneshielt Co. <u>Scarlet Tanager</u> : widespread in wooded areas in Winneshielt Co.; also found at Effigy Mounds, Allamakee Co.

Dickcissel : unusually numerous and widespread in Winneshielt Cu.

Swamp Sparrow i Up to 5 singing males were at Cardinal M., throughout the period; also 2 at Lake Meyer Co. Park.

<u>Bobolink</u>: numerous this summer <u>Kellow-headed Blackbird</u>: The population of about 40 breeding pairs at Cordinal M. was the largest that I have found there during the 9 summers that I have birded this area. <u>Orchard Oriole</u>: Present at Lake Meyer. C. Pork, as usual; 6 seen there on 7 Jul.

I hope rou've had some good summer birding.

Dernio Carter

Dennis Carter