Herons

great blues appeared at the Coralville Resevoir in mid July, and their numbers appeared to increase through the period. max count 53 8/8.

least Bittern 2 6/26 Cone Marsh (R DeC).

Hawks.

Am Kestrel 1 7/4 Kent Park. first record of this species all year, only hawk record this summer!

Rails

Virginia rail 1 imm 8/1 Coralville Resevoir (m.obs.)

Shorebirds

Numbers generally low so far -- the Coralville Resevoir is quite low, but has not dropped any since the spring, so that there are few mud flats to attract birds. Most pands birds have been in small ponds separated from the main body of the resevoir, and these have been steadily drying up. All records from the Coralville Resevoir.

	7/11	7/17	7/25	8/1	8/8
semi plover		3			
kildeer	22	29	5	3	12
spot. sandp		1	2	4	5
solit. sandp.	2		5		2
yellowlegs, g.	1	2			
" 1 ·	25	7	3	8	16
pec. sandp	10	12	4	10	17
Baird's sandp.	at the share	4			
least sandp.	26	12	12	4	11
semi sandp			95	~ 60	71
west. sandp			3	1	,,,
dowitcher, 1-b.	No. 3 P		1	1	
" s-b.			2		126 5 66
" sp.			i i		
stilt sandp	1s	ame bird	1		
Wilson's phal.		407			

There is a hint of an early wave (cf. kildeer, yellowlegs, least sandp.) before 7/11 and a later one between 7/17 and 7/25 (peep, dowtchers).

upland sandpiper 2 6/13 W. Liberty (Br. Bird Survey Rt. IA 007)

1 in flight sone 7/4 Kent Park

terns

forster's 3 7/11 Coralville Resevoir

cuckoos

common in riparian woodland; yellow-billed appears to be more common, or more conspicuous, than black-billed.

woodpeckers

red-headed appear very common, but have seen only a single imm. bird so far this summer.

pileated 1 8/8 upper end of Coralville Resevoir area. also noted diggings in the same area 8/1 (mob). Have not noted birds in this area previously, though we saw one several miles to the east in the spring, again in an area where they are not routinely found. So there amay be an additional pair in our area.

flycatchers

phoebe 1 8/1 Coralville Resevoir (mx@Bx (m. ob.)

alder single birds 6/26 Cone Marsh (R DeC) and 8/8 Coralville Res. Last date a breeder or an early migrant? A non-singing Trail's-type bird seen 6/19 Coralville Resevoir.

Swallows

mixed flowk of several hundred each of bank and cliff swallows at the Coralville Resevoir 7/17 through8/8

Wrens

sedge wrens abundant in suitable habitat since 8/1 10, several in each piece of suitable habitat examined, and there is a great deal, since the low levels of the resevoir has created vast areas of weedy grass-grown & flats.

Mimids

N. mockingbird 1 6/13 Hills area (R DeC; Br. Bird Survey Rt. IA 007) 2 6/20 Williamsburg area (R DeC; IA Br. Bird Survey Rt. IA 010)

Thrushes

E. bluebird 2 pairs 7/4 Kent Park. One pair feeding young in woodpecker hole. Shrikes loggerhead shrike 1 6/20 North English (R DeC; Br. Bird Survey Rt. IA 010) Vireos

Bell's. 2 singing 7/4 Kent Park
a family of 5 8/1 Williams Prairie. young were begging food from ads.
These are additional locations for Bell's, different from the ones listed in the spring meport.

Warblers

Kentucky 1 singing male 6/1 Completion

Sara bid on spring

Icterids

yellow-headed blackbird six singing males and several females seen 6/26 Cone

Marsh. Presumed breeding for the second year here. The

pond at Iowa City where they nested last year is dry this

year and was converted to cornfield.

orchard oriole a group of 2 ad males and one imm male seen 7/4 Kent Park. early migrants?

SParrows

vesper sparrow 1 7/11 Coralville Resevoir

Savannah sparrow abundant this year one the wide weedy dry flats left by the low resevoir.

Lark sparrow seem more abundant this year than the two previous; several birds, mostly imm, seen \$\frac{1}{2}\

Notes

All recored joint ones of M. and C. Newlon; other observers are noted in parentheses if present (R DeC = Rich DeCoster; m.ob. = many other observers).