Winter 1979/80 Report

Van Dyk

- <u>Weather for the period</u>: The winter was unusually mild. Temperatures in both December and January were well above normal, while precipitation was well below normal. February saw a return of winter weather with normal temperatures. Coldest temperature of the winter: 15 below zero on January 31. Unlike most of Iowa, our corner of the state escaped most of the snows; as a result there was practically no snow cover for almost the entire period.
- <u>Note</u>: The report begins with the second half of the checklist, as requested by Vernon Kleen.

Doves through Shrikes:

- Mourning Dove: small numbers lingered until December 20.
- Common Flicker: common this winter. In normal winters only a few remain. This winter we observed them on nearly every birding trip.
- Hairy Woodpecker: doing very well, both in towns and along the Big Sioux and Rock Rivers.
- Horned Lark: their numbers were down sharply. They were practically absent in December and January, and only small flocks were observed occasionally in February.
- American Crow: a flock of about 100 wintered in Sioux Center during the greater part of January.
- . Brown Creeper: exceptionally common throughout the entire period. They were daily to be seen in Sioux Center.
- American Robin: a few individuals remained during the entire winter.
- Golden-crowned Kinglet: like the Brown Creeper, exceptionally common this winter. We observed flocks of 3 to 12 individuals in various places throughout Sioux Co.
 - Northern Shrike: none observed.

Meadowlarks through Buntings:

- Western Meadowlark: in spite of the mild winter, we observed very few. Their numbers seem to be down. Is anyone else commenting on this species?
- Red-winged Blackbird: some 40 individuals were still present along the Rock River in western Sioux Co. on December 20. Normally they have left by that time.

- · Common Grackle: a few individuals remained during the entire winter.
 - Northern Cardinal: doing well. We see them on every birding trip. Especially along the rivers in western Sioux Co. they appear to be flourishing.
 - Evening Grosbeak: none observed.
 - Purple Finch: none observed.
 - Common Redpoll: none observed.
 - American Goldfinch: small flocks present throughout the period.
- Red Crossbill: we observed one femafle in Sheldon (O'Brien Co.) on January 4.
 - Northern Junco: present in usual numbers.
 - American Tree Sparrow: present in usual numbers throughout the period.
- Harris' Sparrow: small numbers remained throughout the period.
- · White-throated Sparrow: I observed a singing male on February 27.
 - Song Sparrow: remained common until the end of December. Nearly absent since then.
 - Lapland Longspur: none observed in December and January. Small flocks present in February.
 - Snow Bunting: none observed this winter.

Geese through Hawks:

- Geese: some Dordt College students reported seeing geese overhead (heading north!) on January 15.
- Mallard: a flock of 200 wintered at Winterveld Park in Rock Valley (Sioux Co.).
- American Wigeon: we observed a male in a creek near Sioux Center on December 1.
- ' Red-tailed Hawk: common throughout the period.
- Rough-legged Hawks: none observed since November.
- American Kestrel: above normal numbers this winter. We see several on practically every birding trip.

Submitted by Dr. John Van Dyk 736 East 1st Street Sioux Center, Iowa 51250 Sioux Co.

March 1, 1980