FIELD REPORT -- IOWA, FALL 1999 Mike Dooley, 1811 B Ave. NE, Apt. 2, Cedar Rapids 52402-5464

	No.	Date	Location	Remark
Pied-billed Grebe	77	8 Oct.	South of Iowa City	High coun
Horned Grebe	2	8 Oct.	South of Iowa City	First
Horned Grebe	2-4	8-29 Oct.	South of Iowa City	. not
	/e), and	white cheek;	Coralville Reservoir, Johnson Co. k-and-white neck, black cap with rear ; long dagger-like bill was yellow-green; inge with scope).	
American White Pelican	4400	16 Sept.	Coralville Reservoir, Johnson Co.	High coun
Double-crest. Cormorant	1300	16 Oct.	Coralville Reservoir, Johnson Co.	High cour
	k croaki	ng notes on f	Coralville Reservoir, Johnson Co. d grass, short remove from main water; flushing; on landing, contrast of dark Il seen).	
Great Blue Heron	269	6 Aug.	Coralville Reservoir, Johnson Co.	High cour
Great Egret	286	5 Sept.	Coralville Reservoir, Johnson Co.	High cour
		oill, yellow lore	Coralville Reservoir, Johnson Co. es, dark yellow feet, mostly black legs active feeding behavior; medium	
Blkcrown. Night-Heron	on upp	ers than Yello	Swan Lake, Johnson Co. ber mandible black, also black tip; bw-crowned, especially tips of	
heavier, broader spots secondaries; a close, s span as per Black-crow Blkcrown. Night-Heron (Same <i>immature</i> ?: now black tip still separable spots on uppers than Y	1 v mostly on clos éellow-cr	15 Oct. dark bill with e inspection; owned; a lat		Last
heavier, broader spots secondaries; a close, s span as per Black-crow Blkcrown. Night-Heron (Same <i>immature</i> ?: now black tip still separable spots on uppers than Y conditions was neverth	1 v mostly on clos éellow-cr	15 Oct. dark bill with e inspection; owned; a lat	e). Swan Lake, Johnson Co. some yellow-green in lower mandible, legs dull yellow-green; heavier, broader er silhouette view of flight under low light	Last First
heavier, broader spots secondaries; a close, s span as per Black-crow Blkcrown. Night-Heron (Same <i>immature</i> ?: now black tip still separable spots on uppers than Y conditions was neverth tarsus not visible). Snow Goose, <i>white</i> Mute Swan	wned, ta 1 w mostly 2 on clos 'ellow-cr heless co 1 1	15 Oct. dark bill with e inspection; owned; a lat onvincing of s 15 Sept 28 Oct. 26 Oct.	e). Swan Lake, Johnson Co. some yellow-green in lower mandible, legs dull yellow-green; heavier, broader er silhouette view of flight under low light shorter leg span as per Black-crowned,	

	Species	No.	Date	Location	Remark
2	white at tail; clean ye	llow-gree	en bill with no	South of Iowa City scept for lighter head and neck; no orange, no mottling; readily ds; close range with scope, cloudy late	First
0	Blue-winged Teal	400	6 Sept.	South of Iowa City	High count
V	Northern Shoveler	1	12 Sept.	Hawkeye WA, Johnson Co.	First
L	Green-winged Teal	1	5 Sept.	Coralville Reservoir, Johnson Co.	First
L	Canvasback	1	4 Oct.	South of Iowa City	First
~	Redhead	1	18 Oct.	South of Iowa City	First
~	Ring-necked Duck	2	29 Sept.	South of Iowa City	First
V		or short di	stance, reve	South of Iowa City cial spot and more white to uppers as per aled goldeneye's bold black-and-white bod light).	First
V	Ruddy Duck	2	3 Oct.	South of Iowa City	First
7	mustache mark, thin v	whitish ey	ebrow, bold	Near Hawkeye WA, Johnson Co. d; blue-slate uppers and crown, faint thin dark vertical streaking on white breast, ng look, close range with scope).	
/	mustache mark, thin v heavy dark vertical st	whitish ey reaking c	ebrow, mask on buff breas	Near Hawkeye WA, Johnson Co. b; brown-gray uppers and crown, thin k-like dark eyeline at certain angles, t, alternate thick dark and thin white tail close range, 10x binoculars, good light).	
	Peregrine Falcon (Characteristic dark rown wheeling, diving pursu		the second s	Coralville Reservoir, Johnson Co. Itch when briefly perched; dramatic	
	Semipalmated Plover	1	27 Oct.	Coralville Reservoir, Johnson Co.	Last
V	American Avocet	2-3	4-16 Sept.	Coralville Reservoir, Johnson Co.	
V	Greater Yellowlegs (Bill longer than head	1 , slightly u	14 Nov. upturned; des	Coralville Reservoir, Johnson Co. scending 4-5 note call).	Last
J	Solitary Sandpiper	3	28 Sept.	Palo Marsh, Linn Co.	Last
V	Willet	1	2 Aug.	Coralville Reservoir, Johnson Co.	
100	Sanderling Sanderling Sanderling	3 1 5	1 Aug. 2 Aug. 19 Aug.	Coralville Reservoir, Johnson Co. Coralville Reservoir, Johnson Co. Coralville Reservoir, Johnson Co.	

	No.	Date	Location	Remark
	noulder	spot seen, st	Coralville Reservoir, Johnson Co. er about head and back than winter outer look than peep, ran along beach	
~	,			
Sanderling Sanderling (Seen at fairly distant r	l 1 ange: lii	8 Sept. 15 Sept.	Coralville Reservoir, Johnson Co. South of Iowa City head and back than winter Semi-	
	than p	eep, size righ	nt compared to adjacent Killdeer, ran	
than adjacent Pector feeding bird, scaly app	als, prim Dearanc egs (as	ary tips exter ce to uppers	Coralville Reservoir, Johnson Co. grass field; proportionately shorter-legged inded appreciably past tip of tail on , no spots along flanks, once or twice hish of Pectorals); excellent light, medium	First
Stilt Sandpiper	50	1 Cont	Carabilla Dasaniain Jahasan Ca	L Park and a start
Stilt Sandpiper	52 1	4 Sept. 4 Oct.	Coralville Reservoir, Johnson Co. Coralville Reservoir, Johnson Co.	High count Last
Buff-breasted Sandpiper	6	4 Aug.	Coralville Reservoir, Johnson Co.	First since 31 July
Buff-breasted Sandpiper	17	6 Aug.	Coralville Reservoir, Johnson Co.	That all CE OT July
Buff-breasted Sandpiper	4	12 Aug.	Coralville Reservoir, Johnson Co.	
Buff-breasted Sandpiper	2	1 Sept.	Coralville Reservoir, Johnson Co.	
Buff-breasted Sandpiper	9	4 Sept.	Coralville Reservoir, Johnson Co.	
1910-112 (J. 1911) (J. 1911) (J. 1911)				
(Unusual location, barr long-necked, one-third uppers; buff-cream bre green straight bill, tape tip; large black eye; lon starts and stops; after s underwings; very exter	d larger east and ering bu ng dark hort flig	than Kildeer; d belly, strong t not sharp, d yellow-gree hts, held wing ok, very close	Coralville Reservoir, Johnson Co. at on wetland, thus: upright posture, generally rufous-brown head and gly spotted flanks and sides; dark yellow- approx. length of head, slightest droop at n legs; upright running posture, abrupt gs open momentarily, revealed barred e range with scope).	
long-necked, one-third uppers; buff-cream bre green straight bill, tape tip; large black eye; lon starts and stops; after s underwings; very exter Long-billed Dowitcher (Larger, stouter than ad	d larger east and ering bu ng dark hort flig nded loo 2 djacent	insular sandfl than Kildeer; d belly, strong t not sharp, d yellow-gree hts, held win ok, very close 14 Nov. snipe; breas	at on wetland, thus: upright posture, generally rufous-brown head and gly spotted flanks and sides; dark yellow- approx. length of head, slightest droop at n legs; upright running posture, abrupt gs open momentarily, revealed barred	Last
(Unusual location, barr long-necked, one-third uppers; buff-cream bre green straight bill, tape tip; large black eye; lon starts and stops; after s underwings; very exter Long-billed Dowitcher (Larger, stouter than ad alarm note on flushing- scope). Red-necked Phalarope (Winter: strongly black	d larger east and ering buing dark hort flig nded loo 2 djacent singles 1 cap (in	insular sandfl than Kildeer; d belly, strong t not sharp, d yellow-gree hts, held win ok, very close 14 Nov. snipe; breas and repetiti 28 Aug. cluding forwa	at on wetland, thus: upright posture, generally rufous-brown head and gly spotted flanks and sides; dark yellow- approx. length of head, slightest droop at n legs; upright running posture, abrupt gs open momentarily, revealed barred e range with scope). Coralville Reservoir, Johnson Co. st unmarked, medium gray wash; keek	Last
(Unusual location, barr long-necked, one-third uppers; buff-cream bre green straight bill, tape tip; large black eye; lon starts and stops; after s underwings; very exter Long-billed Dowitcher (Larger, stouter than ad alarm note on flushing- scope). Red-necked Phalarope (Winter: strongly black eye; needle-like, not st range with scope). Caspian Tern	d larger east and ering buing dark hort flig nded loo 2 djacent singles 1 cap (in	insular sandfl than Kildeer; d belly, strong t not sharp, d yellow-gree hts, held win ok, very close 14 Nov. snipe; breas and repetiti 28 Aug. cluding forwa gray back st 2 Aug.	at on wetland, thus: upright posture, generally rufous-brown head and gly spotted flanks and sides; dark yellow- approx. length of head, slightest droop at n legs; upright running posture, abrupt gs open momentarily, revealed barred e range with scope). Coralville Reservoir, Johnson Co. st unmarked, medium gray wash; <i>keek</i> ons; very close range, excellent light, Coralville Reservoir, Johnson Co. ard), black eyepatch extending behind	Last First
(Unusual location, barr long-necked, one-third uppers; buff-cream bre green straight bill, tape tip; large black eye; lon starts and stops; after s underwings; very exter Long-billed Dowitcher (Larger, stouter than ad alarm note on flushing- scope). Red-necked Phalarope (Winter: strongly black eye; needle-like, not st range with scope).	d larger east and ering buing dark hort flig nded loo 2 djacent singles 1 cap (in	insular sandfl than Kildeer; d belly, strong t not sharp, d yellow-gree hts, held win ok, very close 14 Nov. snipe; breas and repetiti 28 Aug. cluding forwa gray back st	at on wetland, thus: upright posture, generally rufous-brown head and gly spotted flanks and sides; dark yellow- approx. length of head, slightest droop at n legs; upright running posture, abrupt gs open momentarily, revealed barred e range with scope). Coralville Reservoir, Johnson Co. st unmarked, medium gray wash; <i>keek</i> ons; very close range, excellent light, Coralville Reservoir, Johnson Co. ard), black eyepatch extending behind howed two white streaks; very close	
(Unusual location, barr long-necked, one-third uppers; buff-cream bre green straight bill, tape tip; large black eye; lon starts and stops; after s underwings; very exter Long-billed Dowitcher (Larger, stouter than ad alarm note on flushing- scope). Red-necked Phalarope (Winter: strongly black eye; needle-like, not st range with scope). Caspian Tern	d larger east and ering buing dark hort flig nded loo 2 djacent singles 1 cap (in out bill; 1	insular sandfl than Kildeer; d belly, strong t not sharp, d yellow-gree hts, held win ok, very close 14 Nov. snipe; breas and repetiti 28 Aug. cluding forwa gray back st 2 Aug.	at on wetland, thus: upright posture, generally rufous-brown head and gly spotted flanks and sides; dark yellow- approx. length of head, slightest droop at n legs; upright running posture, abrupt gs open momentarily, revealed barred e range with scope). Coralville Reservoir, Johnson Co. thumarked, medium gray wash; <i>keek</i> ons; very close range, excellent light, Coralville Reservoir, Johnson Co. ard), black eyepatch extending behind howed two white streaks; very close Coralville Reservoir, Johnson Co.	First
(Unusual location, barr long-necked, one-third uppers; buff-cream bre green straight bill, tape tip; large black eye; lou starts and stops; after s underwings; very exter Long-billed Dowitcher (Larger, stouter than ad alarm note on flushing- scope). Red-necked Phalarope (Winter: strongly black eye; needle-like, not st range with scope). Caspian Tern Caspian Tern	d larger east and ering buing dark hort flig nded loo 2 djacent singles 1 cap (in rout bill; 1	insular sandfl than Kildeer; d belly, strong t not sharp, d yellow-gree hts, held win ok, very close 14 Nov. snipe; breas and repetiti 28 Aug. cluding forwa gray back st 2 Aug. 30 Sept.	at on wetland, thus: upright posture, generally rufous-brown head and gly spotted flanks and sides; dark yellow- approx. length of head, slightest droop at n legs; upright running posture, abrupt gs open momentarily, revealed barred e range with scope). Coralville Reservoir, Johnson Co. st unmarked, medium gray wash; <i>keek</i> ons; very close range, excellent light, Coralville Reservoir, Johnson Co. ard), black eyepatch extending behind howed two white streaks; very close Coralville Reservoir, Johnson Co. Coralville Reservoir, Johnson Co.	First Last
(Unusual location, barr long-necked, one-third uppers; buff-cream bre green straight bill, tape tip; large black eye; lon starts and stops; after s underwings; very exter Long-billed Dowitcher (Larger, stouter than ad alarm note on flushing- scope). Red-necked Phalarope (Winter: strongly black eye; needle-like, not st range with scope). Caspian Tern Caspian Tern Black Tern Common Nighthawk	a larger east and bring buing dark thort flig nded loo 2 djacent singles 1 cap (in- out bill; 1 1 50 200	insular sandfl than Kildeer; d belly, strong t not sharp, d yellow-gree hts, held win ok, very close 14 Nov. snipe; breas and repetiti 28 Aug. cluding forwa gray back st 2 Aug. 30 Sept. 3 Sept. 25 Aug.	at on wetland, thus: upright posture, generally rufous-brown head and gly spotted flanks and sides; dark yellow- approx. length of head, slightest droop at n legs; upright running posture, abrupt gs open momentarily, revealed barred e range with scope). Coralville Reservoir, Johnson Co. st unmarked, medium gray wash; <i>keek</i> ons; very close range, excellent light, Coralville Reservoir, Johnson Co. ard), black eyepatch extending behind howed two white streaks; very close Coralville Reservoir, Johnson Co. Coralville Reservoir, Johnson Co.	First Last High count and las
(Unusual location, barr long-necked, one-third uppers; buff-cream bre green straight bill, tape tip; large black eye; lon starts and stops; after s underwings; very exter Long-billed Dowitcher (Larger, stouter than ad alarm note on flushing- scope). Red-necked Phalarope (Winter: strongly black eye; needle-like, not st range with scope). Caspian Tern Caspian Tern Black Tern	d larger east and bring buing dark hort flig nded loo 2 djacent singles 1 cap (in out bill; 1 1 50	insular sandfl than Kildeer; d belly, strong t not sharp, d yellow-gree hts, held win ok, very close 14 Nov. snipe; breas and repetiti 28 Aug. cluding forwa gray back st 2 Aug. 30 Sept. 3 Sept.	at on wetland, thus: upright posture, generally rufous-brown head and gly spotted flanks and sides; dark yellow- approx. length of head, slightest droop at n legs; upright running posture, abrupt gs open momentarily, revealed barred e range with scope). Coralville Reservoir, Johnson Co. st unmarked, medium gray wash; <i>keek</i> ons; very close range, excellent light, Coralville Reservoir, Johnson Co. ard), black eyepatch extending behind howed two white streaks; very close Coralville Reservoir, Johnson Co. Coralville Reservoir, Johnson Co. Coralville Reservoir, Johnson Co. Coralville Reservoir, Johnson Co.	First Last High count and las

Species	No.	Date	Location	Remark
Olive-sided Flycatcher	1	17 Aug.	Hawkeye WA, Johnson Co.	
Northern Shrike	1	14 Nov.	Pleasant Creek Lake, Linn Co.	
(Mask tapering off at lo	ores, bill	with exagge	erated hook, white rump; very close	
range, good light, long		00	, , , , , , , , , , , , , , , , , , , ,	
Tree Swallow	1	24 Oct.	Hawkeye WA, Johnson Co.	Last
Red-breasted Nuthatch	1	28 Sept.	Palo Marsh, Linn Co.	
Red-breasted Nuthatch	1	12 Oct.	Hawkeye WA, Johnson Co.	
Red-breasted Nuthatch	1	13 Oct.	Cedar Rapids, Linn Co.	
Red-breasted Nuthatch	2	18 Oct	Hawkeye WA, Johnson Co.*	
		30 Nov.		
*At feeder.				
uppers from midpoint t note matched low <i>tsui</i> Song Sparrow, almost adjacent to small pond Wren due to chip note	through k descrii all single d, no er and le	tail, but no v bed in field g notes, not c nergent or m ngth of tail; e	Hawkeye WA, Johnson Co. er than House Wren's, but not white; rufous white streaks noticed on upper back; chip guides, lower, duller than nearby chipping doubled, not rapid; tall grass field harsh-type vegetation; eliminate Winter elim. Bewick's, House, and Sedge Wren s uppers and bold eyebrow; elim.	Last
			Palo Marsh, Linn Co.	First
	1			
Ruby-crowned Kinglet	1	20 Nov.	Hawkeye WA, Johnson Co.	Last
Eastern Bluebird	14	24 Oct.	Hawkeye WA, Johnson Co.	High cou
American Pipit	10	21 Oct.	Hawkeye WA, Johnson Co.	
Golden-winged Warbler	1	6 Sept.	Cedar Bluffs Rec. Area, Muscatine Co.	
Yellow-rumped Warbler	53	28 Sept.	Goose Pond, Linn Co.	High cou
Black-and-white Warbler Black-and-white Warbler	2 1	17 Aug. 11 Oct.	Hanging Rock Ridge WA, Johnson Co. Hawkeye WA, Johnson Co.	First Last
Kentucky Warbler	1	22 Aug.	Cairo Woods WA, Louisa Co.	Last
American Tree Sparrow	,	24 Oct.		
American nee spanow		24 OC1.	Hawkeye WA, Johnson Co.	First
abruptly contrasting w with no white stripe, wt	arks inclu ith white nite sca	e belly; disting pular streaks	Coralville Reservoir, Johnson Co. eyebrow; finely streaked buff-ochre breast guished from LeConte's by dark crown glimpsed briefly when bird finally flew; diately alongside main water).	
White-crowned Sparrow	2	7 Oct.	Solon, Johnson Co.	First
Snow Bunting	1	25 Oct.	South of Iowa City	
Snow Bunting	7	20 Nov.	Coralville Reservoir, Johnson Co.	
Rusty Blackbird	2	15 Oct	Swap Lake Johnson Co	First
Rusty DIGCKDIIG	2	15 Oct.	Swan Lake, Johnson Co.	First

Species	No.	Date	Location	Remark
Purple Finch Purple Finch	2 1-5	7 Oct. 11 Oct 5 Nov.	Solon, Johnson Co. Hawkeye WA, Johnson Co.	
Purple Finch	1	20 Oct.	U of Iowa campus, Iowa City	