FROM THE STA In NEW RENDETS FORMY, IN NARTHANEST IOUSA, BU IMMATURE GOLDEN ERGLE WAS SEEN TINCE IN THE LAST THREE DAYS IN THE NORTHERST CORUSER OF POCHO-HONTAS COUNTY, THE LATEST MANTANC BENC INTHE Mus LAKE ARED NONTHWEST OF LAURENS. AND THE FIRST SAW-WHET OUL REPART OF THE SERIES CAME Flom THE MALBRIDE HELD CAMPUS IN TOPASSON CONTRATO TOPOPON NOU STA, NON SUNS SEEN AGAINS ON THE QTH. TOPOPON NOU STA, NO UNS OR WESTERS Ano 2 FLICHERS OF THE DED SHAFTED, RACE WERE SERS IN BOAVE COUNTY NEAR RIPACE FRE SENTHWEST JOUR, A FIRST HUNTER BLACK-LECTER THAT WER WER OBTERVER AT CARTER LAKEN Potruterove louster on Hocemper 47 But wes NOTTERS RETER THAT DATE. THE HOT SPOT TODAY WIND SAMMONTIE RESERGON IN POLK LOUNTY, AS A FIRST WINTER BLACK 146690 KITTINAILE PACIFIC LOON, AND JUNE COTEN WERE SEEN IN THE ALGO OF THE JESTER PARK BOAT RAMP. ELSEWNERE ON FAR LAKE, 350 BONA PARTES GUUS, I GANED GREBES, ARD Commond Cours AND IN THE Southwest A PACIFIC LOOK WAS SEENT CARTER LAKE IN POTTANS ATTAME LOUNTE THE LOCATION WWERE A HAST WINTER BLACK LEGGED KATILARKE WAS OBSERVED ON THEY

[26] From: JFULLER at dentistry-po 11/8/90 10:14AM (1158 bytes: 16 ln) To: JFULLER, BIRDCNTR@ARIZVM1.BITNET at INTERNET Subject: HOTLINE: Iowa Update 11/7

> In new sightings since the week's report, on the 6th in southeast Iowa, a first winter THAYER'S GULL was reported from below Mississippi River Lock & Dam #19 at the Keokuk Waterfront Park. At Red Rock Reservoir in Marion County on the 6th, there were 3 SNOW BUNTINGS and 4 AMERICAN PIPITS at the beach of the Whitebreast Recreation Area, and a large number of waterfowl could still be seen from Whitebreast Point, including 3 COMMON GOLDENEYE, and 20 COMMON LOONS. There has been some question about the first winter LESSER BLACK-BACKED GULL below the Red Rock Dam. It does have many features of a lesser black-backed, but some observers feel it is some sort of hybrid.

In a report from the 5th, eight TUNDRA SWANS were seen from the West Overlook Campground at the Coralville Reservoir in Johnson County. [30] From: JFULLER at dentistry-po 11/5/90 11:03AM (3782 bytes: 57 ln) To: JFULLER, BIRDCNTR@ARIZVM1.BITNET at INTERNET Subject: HOTLINE: Iowa 11/5 ------ Message Contents ------

Iowa Birdline (319) 338-9881 for 11/5/90 The weekend weather was certainly for the ducks. It seemed like overnight they poured into the state following the strong frontal passage. The best of the waterfowl were PACIFIC LOON at Red Rock and RED-THROATED LOON at Coralville. The first winter CALIFORNIA GULL and the first winter LESSER BLACK-BACKED GULL were still being seen, and a VARIED THRUSH was found in Johnson County.

The RED-THROATED LOON was first found the morning of November 4th from the West Overlook Campground of the Coralville Reservoir, and was rediscovered and still present until dark north of the Mehaffey Bridge, where Johnson County road F-28 crosses the reservoir. Three WHITE-WINGED SCOTERS were in a large raft of ducks at the Mehaffey bridge in the morning of the 4th, and they were rediscovered in the afternoon at the Jolly Roger area. There were also 210 COMMON LOONS at the Jolly Roger area, as well as HORNED GREBES, all three MERGANSERS, RUDDY DUCKS, BUFFLEHEAD, and the fall's first COMMON GLODENEYE among the large number of other more common diving ducks. Nearby, a male VARIED THRUSH was found at the MacBride Field Campus of the University of Iowa, the entrance to which is off of F-28 a little over a half mile northeast of the Mehaffey Bridge. The bird was discovered the morning of the 4th, and was relocated in the late afternoon across the road from the entrance to Picnic Area #1. At the end of the Babcock access road, on the 4th, there were still nine shorebird species, including DUNLIN, BLACK BELLIED LESSER GOLDEN PLOVER, and LONG-BILLED DOWITCHER. There were also about 50 WHITE PELICANS, and AMERICAN PIPITS. The first winter CALIFORNIA GULL first reported from that location last weekend was still present, at least through November 3rd. And a flock of eight RED CROSSBILLS, accompanied by RED-BREASTED NUTHATCHES was in a group of pine trees at the west end of the Coralville Dam near the spillway on October 31rst.

> In south-central Iowa, at the Red Rock reservoir in Marion County, the best location for observing the large waterfowl raft has been at Whitebreast Point. On November 3rd, PACIFIC LOON, WHITE-WINGED SCOTER, EARED and HORNED GREBES, and COMMON LOONs were seen there, and a WESTERN GREBE was present on the 2nd. The first winter LESSER BLACK-BACKED GULL was still being reported from below the Red Rock Dam on the 3rd.

In central Iowa, at the Saylorville Reservoir on the 3rd, a late OSPREY, and at Sandpiper Recreation Area beach, LESSER GOLDEN and SEMIPALMATED PLOVER, LEAST SANDPIPER, and AMERICAN PIPITS. Three SANDERLINGS were at the beach of Oak Grove Recreation Area on the 3rd, and a WHITE-WINGED CROSSBILL was at Campground 4 at Jester Park, on the 31rst. A NORTHERN SHRIKE was at the end of 100th Street at Big Creek State Park on the 31rst. And the RED-SHOULDERED HAWK has returned for its 4th winter in the area along hiway 415 between the Polk City Casey's store and the entrance to Sandpiper Recreation Area. Jim Fuller (319) 338-3561

