FIELD REPORT FORM for submitting seasonal observation of Iowa birds Season: Wester Year: 81-83 Name and address: Buth Phipps 310 howerally Other observers(name , city): Shevandord Inva 51601 Marie Afear Shenandork Clan Priete .. Betty Walter, " Use initials of obsv. on species line SPECIES OTHER BSERV. Canada boose marie Jean 23 2-26 & No of Farraget Several Thousand Snow beese on water and as Maryin ling M.S. with Suns. They were in front of seven I dentified by Ross' Gerse Gadwall Redhad m 5. Canvasbock MS Com. Goldeneye Marie Spears Saw These 1-5-82 # 29 no. Harrier Red tailed Hawk 1. he's feel at they freder - Red- br Nuthatel 12-1-81 Shen. Pierce Cr. Short lared Owl 12-27-81 Co. Park Den Prich estimated no. he saw feeding in trees that said beries large flocks along nows 1000 1-1-82 # 29 am Robin Highways Homed Kark 400 1-5-82 #59 + #34 108/2-10-81 my backened Golden Cr. Kinglet 12-115-81 12-15-81 Evening Goodeal 12-27-81 Jan + Fab 1982 Have had afour - no more than Hat our time Purgle Finch Com. Redjoll 2 2-7-82

Dee, Jan

10 12-27-81

6 12-27-81 Reveton

Pine Sestin

White-cr. ..

Harris' Sgarrow

a few have come to my

maris Agens has bunded afew in he Fachyardingen

feety Watless

feedes all writer

Middlewestern Prairie Megion (Iowa, Missouri, Illinois, Indiana, Mentucky, Chio) BIRDS: VERIFYING DOCUMENTATION OF AN EXTRAORDINARY SIGHT RECORD. 1. Species Loss Hoose 2. Number: Three 3. Location North of Farragut, Fremont Co. Inva 4. Date: Feb 26 1987 .5. Time Bird seen: 1:00 PM to 1:15 PM . Description of size, shape and color-pattern (describe in great detail all parts of the plumage, and beak and feet coloration, in addition, to the diagnostic characteristics, but include only what actually was seen in the field): Smaller show the Suon boose, semilar in Shage and color to the Snow boose. The beak was shorter and lacked the dark Streak or grin mak of the Snow Boose. Ilid not see the legs or fut since the hists were in water. 7. Description of voice, if heard: 8. Description of behavior: 9. Habitat - general: specific: Florded farmland U. Similarly appearing species which are eliminated by questions 6, 7 & 8, Explain: Snow boose - The lass Diese were surrounded by Snow, and the size was noticed. The stuffy beaks were easily seen. 1. Distance (how measured)? 200 to 300 feet, Estimated 12. Optical equipment: bence s By my busband wayne.

3. Light (sky, light on bird, position of sun in relation to bird and you): Behand me and shining on the Bird, Bright light + cloudless sky 4. Previous experience with this species and similarly appearing species: Lew one south of Tueson arig. - Saw aftered of 400 at Salten Sen Calif. 5. Other observers: none 6. Did the others agree with your identification? 7. Other observers who independently identified this bird: 3. Books, illustrations and advice consulted, and how did these influence this description: . How long after observing this bird did you first write this description? Fur hours Kerch O. Thiggs Address: 310 University Date: Feb 26 1982 City, State: Shenandown Sown



Marie Agean, Betty Walter, Berky Benthal and I returned to the good of water n. of Farraget and sew !

8 C. Goldeneye 2 Bald Eagle im.

Ruth