

Barbara L Wilson
Rt 1 Box 41
Hastings, Iowa 51540
Winter, 1981-1982

Farm = Wilson farm, NE Mills Co.
Iowa

Weather: December: cold, snow. January: long periods of below normal temperature. Mean temp. 10.2°F , which is 10 degrees below normal. Freezing rain January 22 made ice that stayed for weeks. Jan. 25 - more of it. Cold continues a week or so into February. Then, spring. Everything melted. Record high temperatures in late ~~late~~ ~~fever~~. Then mild.

Jan 23 - a deer came up to the farmyard, + stayed until about Feb. 12. Deer came to a nearby feedlot too, 150 of them! Ate silage from the B pit. This is desperation, and the birds were as badly stressed.

	#	date	
-	Canada Goose	3	Feb. 21 farm
✓	Snow Goose	± 320	Feb 21 "
	Red-tailed Hawk	3	all winter " all adults
-	Rough-legged Hawk	1	Dec. 10 Council Bluffs
	Marsh Hawk	1	Feb. 26 farm. Flying north along mud Creek, a ^{traditional} if minor, fly way for migration.
			Gray bird.

Kestrel	7 (maximum 4)	December	Farm to Omaha Omaha-Strips
	7 (maximum 3)	January	" " "
	6 (maximum 3)	February	" " "

the trip is 35 miles in Iowa.

Mourning Dove singles rarely all winter S.W. Iowa
1 froze to death in a road ditch ^{under a bush} - a rare cause of death. Usually they die of other things first.

✓ Common (Red-shafted) Flicker 1 Feb. 6 farm
1 Feb. 13 "

✓ Red-headed Woodpecker - a large fall acorn crop inticed the highest winter population I've seen (in 5 winters) on the farm. All adults, + with good survival through a lousy winter

Barbara L Wilson
Rt 1 Box 41
Hastings, Iowa 51540
Winter 1981-1982

Farm = Wilson Farm
NE Mills County, Iowa

Horned Lark

numerous and in trouble. University of Nebraska received 15 road kills in January, 10 of these from Pottawattamie + Mills County, Iowa. The birds come to the roads when snow covered the fields - ~~eat~~ and died. Then ice covered everything, including the road shoulders, + the Horned Larks went elsewhere, + presumably died there.

Counts along the 35 miles from farm → Omaha

Date ~~25~~ December 2

✓ 250 Dec. 2

0 Dec 3

0 Dec 4

0 Dec 8

0 Dec 10

0 Dec 14

0 Dec 15

220 Jan. 6

130 Jan. 8

80 Jan. 9

present Jan 11

90 Jan 12

50 Jan 14 Jan 15 - ice

~~26~~ Jan 18

0 Jan 19

0 Jan 20

5 Jan. 21 Jan 22 - ice

0 Jan 25

24 Jan 26

0 Jan 27

11 Jan 28

0 Feb. 1

80 Feb. 2

21 Feb. 3

16 Feb. 4

39 Feb. 8

115 Feb. 9

7 Feb. 11

0 Feb 15 Snow going out

0 Feb 17

0 Feb 18

1 Feb 22

0 Feb 23

0 Feb 24

0 Feb 25

Horned Larks feed in a pasture next to the house (where they never feed). January 23 - Feb. 5 (maximum 6). More evidence they were under stress!

Bluebird

Barbara L Wilson
Rt Box 41
Hastings, Ia 51540
Winter, 1981-1982

farm = Wilson farm, NE Mills
County, Iowa

date

✓ Tufted Titmouse 0 all winter farm

This species has been on a downward trend in winter.
last year I figured that if it declined further there
would be none left. Well.....

Shrike 1 Feb. 1 N.E. Mills County

1 Feb 10 "

House Sparrow very numerous farm.

Very concentrated by bad weather?

Red-winged Blackbird 27 Feb 26 farm

✓ Rusty Blackbird 8 "

Common Grackle 2 "

Brown-headed Cowbird 2 "

Cardinal 12⁺ late January my feeder, farm ↗
20⁺ " " corn crib, farm ↗
3/4 or 1 mile apart

Neighbors report high numbers of Cardinals at feeders,
& large numbers are at two food sources at our farm.
I expect that virtually all the Cardinals in N.E. Mills
County were depending on humans for food after the ice
storm, from feeders, feedlots, or corn cribs.

✓ Common Redpoll 2 Feb. 5 farm

✓ Vesper Sparrow 1 Dec. 23 "

see documentation 1 Jan 5

1 Jan 7

" Quite likely died in the
storm after this date.

Tree Sparrow Very low numbers - Christmas bird
Count time + all winter, especially on the farm.

Junco Somewhat low numbers

Snow Bunting 3 Jan. 6 Mills County

1 Feb. 9 "

✓ Eastern Bluebird ♂, ♀ Feb. 27 farm.

Sorry about the extensive Vesper Sparrow documentation.
When I saw it I remembered the "uncorroborated" Lincoln's
Sparrow at my feeder last winter - for the second year in a row.
Take that! editors. three documentations!

Barbara L Wilson
Rt 1 Box 41
Hastings, Iowa 51540
Winter 1981-1982

Iowa

Vesper Sparrow - I December 23, 1981

5 miles North, 1½ miles west of Hastings, Iowa

Mills County

Description Size: Sparrow-sized.

Face: bill tan, upper + lower mandibles about the same. Conical. White eye ring, no white eye line. Crown grayish. Cheek dark. White line outlines cheek from below + curves up a bit at back of cheek. Dark line at edge of throat. Crown may be obscurely streaked.

Underparts: Breast streaked, streaks not heavy, they end at the belly. A couple feathers in the center of the breast are a little more heavily marked, and from some angles they look like a faint central breast spot.

Belly white, flanks streaked.

Wings: brown with lighter brown wing bars.

Upperparts: hard to see. Obscurely streaked?

Tail: white outer tail feathers. Somewhat long.

Similar species: White outer tail feathers on a streaked Sparrow suggests strongly Vesper Sparrow. Lapland Longspurs have white outer tail feathers, but lack the white eye ring, are streaked on the sides but not, or only faintly, across the breast. Longspurs do not typically sit in trees. Longspurs have short tails, too.

Behavior: flushed from snow-free area on the road

~~Flew~~ to land in an elm tree by the house.

Flew off into soybean field

Time, light, etc. About 3 minutes beginning 10:30 am.

Sunny, few clouds in blue sky. light wind from west.

Distance about 30 feet at closest. 8.5 x binoculars.

No bird book used until after description written, as it was about 5 minutes after I saw the bird. Bird NNE of me.

In ~~tree~~ Elm tree by house as I stood by mailbox.

Barbara L. Wilson

Rt 1 Box 41

Hastings Iowa 51540

Vesper Sparrow - 1

January 5, 1982

5 miles north + 1 1/2 miles west of Hastings, Mills County, Iowa

Description:

Large, plump sparrow. Brown. Breast darker than belly + perhaps streaked. White outer tail feathers.

Behavior:

Feeding in feedlot + manure piles + other stuff sticking out of snow.

Similar species:

A good-size brown sparrow with white outer tail feathers is likely to be a Vesper Sparrow, except in winter. I probably wouldn't call this one if I hadn't seen it better before + after.

Light, time, etc.

Bright sunlight, mid morning. The bird was often N. + NE of me but circled around. ~~53°~~ at closest, no binoculars.

Barbara L Wilson
Rt. 1, Box 41
Hastings, Iowa 51040

Vesper Sparrow - 1

January 7, 1982

5 miles North, 1½ miles west of Hastings, Iowa. Mills Co.

Description.

Size: Sparrow-sized + distinctly larger than a Junco.

Face: Head grayish. White eye ring. White ~~—~~ outline below + behind cheek. Bill conical, yellowish + not bright.

Underparts: Breast streaked, with a faint central spot. Flanks streaked.

Above: grayish brown

Tail: white outer tail feathers

Behavior

Flew across a field + landed on the road. Flew down to feed on the road with Juncos. Dog flushed them, ~~and~~ and the Sparrow flew into the tree while the Juncos flew into a field. They all flew back to the road.

Similar species: White outer tail feathers + face pattern
= Vesper Sparrow

Light, time, etc.: About 3 minutes, about 10:33 am. Written about 10:45. Sunny, clear sky. Cold (~~about~~ about zero). Light wind from south. Closest about 50 feet. 8.5 binoculars. No books. Bird N. of me.

Barbara L Wilson

Rt. 1 Box 41

Hastings, Iowa 51540