Hensicked

3-4-82 Deor Tom, We have some Winter observations to regort for the I. O.U. Field Reports. Om Dec. 29 thre was still a Great Blue Heron at Rothbun Lalce. This was seen by Bill Hensenbeveld. There has been quite an influx of Pine Siskin, Common Red goll, and Perple Finish at feeders. Some Red breasted Nuthetities have also frequented During Jon. + Feb. we had Tree Sporrows coming into our Feeder as wellas Lapland Longspurs. On Feb. 22 an Am. Woodcock was observed by both of us. On Feb. 25 a Horris Sporrow was also observed. Both of these were in our own yord. We are near an onergrown pature with some moist woodland area and a dranoge Litch. Red winged block birds were seen in fair numbers on Feb, 27 and on

Feb. 28 E. Meadowlock were seen ly and hard singing . No. Snowy Quela or Evening Groubeska This Winter in our ones. The Hope this information is useful to you. Deng Tinly your, Bill + Mayone Henrilad hit is the territoreld Oh-yes - we had many more crows in the area than previous winters. 840 Soith Parte Enternelle 17 52544 On Feb. 22 an 1 pm, Wooderle was derved by both of we. On Feb. and descred by some provide and the some the some and the source of the some and the source of the sourc

DOCUMENTATION FORM for extraordinary bird sightings in Iowa

What species? Øregon Junco	How many? one
Location? South and west of RockBluff Road near	Ottumwa, Iowa
Type of habitat? Gravel road with many weeds and	old pasture nearby.
When? date(s): 12-19-81 time: 8:45 #	. Mto (9:00 A. M
Who?your name and address:Marjorie Heusinkveld, 8	40 S. Park, Centerville, I
others with you: Bill Heusinkveld - same addres	8
others before or after you: unknown	

Describe the bird(s) including only what you observed. Include size, shape, details of all parts (bill, eye, head, neck, back, wing, tail, throat, breast, belly, under tail, legs, feet). Also mention voice and behavior.

N. Wa W Junco size, yellow bill, dark eye, dark brown hood coming down over throat and upper breast. Rusty brown back with rusty srea along sides of very white belly. Yellowish Beet. Broad white MR edges on tail. He was not calling at the time. He was with a mixed flock of tree sparrows and N. Juncos. He was feeding along MR edge of road on weeds and then same into middle of road for very clear view.

Similar species and how eliminated:

Similar to N. Junco, but the darks brown hood, rusty brown back and rusty sides declared him to be different

Did any one disagree or have reservations about identification? no

If yes, explain:

Viewing conditions: give lighting, distance (how measured), and optical equipment: Bright sunlight at approx. 50 feet with neked eye and binoculars.

Previous experience with species and similar ones: Observed Oregon Junco in Arizona in Rex Feb., 1979 References and persons consulted before writing description: Field notes How long before field notes made? at time of this form completed? 2 days Observation MAIL TO: T. H. Kent, Field Reports Editor, 211 Richards Street, Iowa City IA 52240