For Extraordinary Bird Sightings in Iowa
What species? Black Scoter - (Adult Female) How many? ]
Location? West Okohoji hake, Dickinson County
Type of Habital? Open hake
When? date(s): 13 Dec, 1993 time: <u>3:45pm to 3:55pm</u>
Who? your name and address: Douglas C. Harr, Box 65, Larchwood, IA. 51241
Others with you: Lee Schoenewe, Spencer, IN.
Others before or after you:

Describe the bird(s) including only what you observed. Include size, shape, details of all parts (bill, eye, head, neck, back, wing, tail, throat, breast, belly, undertail, legs, feet). Also mention voice and behavior.

Moderately large duck (slightly larger than Lesser scamp seen with it) Relatively "plump" (much like companion scamp), Overall dark (charcoal) grey with very notable off-white throat, chin & Cheek (extending to or past the sides of neck) Head Quite rounded, with no colored Knob at bill's base (bill basically grey). Diving Frequently.

Similar species; how eliminated:

Other scoters -- other species all have swollen base of bill; other female scoters lack prominent testite on much, checky throat & clim Female Redhead -- browner in overall color, light colors on threat, etc. not prominent

Did any one disagree or have reservations about the identification? <u>ND</u> If yes, explain:

Viewing conditions: give lighting, distance (how measured), optical equipment.

Overcast Sky with late afternoon light from west, while bird was viewed to east. Distance estimated by both observers at 70-80 yards. Viewed with Previous experience with species and similar ones: Kowa 20-60x spotting scope.

References and persons consulted before writing description: - Used all three Common field quides while viewing. Description notes made later without Further reference or assistance. How long before state made? 1/2 hr. this form completed? 1/2 hr.

Send completed form to Field Reports or CBC editor (address on back cover of Iowa Bird Life).