## BIRDS: VERIFYING DOCUMENTATION OF AN EXTRAORDINARY SIGHT RECORD

	1.	Species Scissor-tailed flycatchen	2. Number !
		Location East Amana, Iowa Co 1A	
	4.	Date: 26 april 1981 5. Time Bird Seen: 6:40	Pm to G:SSPM
		Description of size, shape and color-pattern (describe in grathe plumage, and beak and feet coloration, in addition, to t teristics, but include only what actually was seen in the fi	he diagnostic charac- eld):
20	uk.	shape of body similar to e. kingbird. Color of body brown. Crimson work in axillaries, shading to yellow or Tail as long as body, or a bit longer, torked, dark margin. Tail often spread in flight.	, wearly black with pake
		Description of voice, if heard:	
	8. fr 9.	Description of behavior: flew rapidly from perch to perch in perch world make several sallier after insects, return Habitat - general: pasture with scattered multiflora restant of sapplings and two groves of large	nuing to perch several times cose, bordered by (over)
		specific: stream valley with pastures, woodlots.	
	10.	Similarly appearing species which are eliminated by question lung forked tout, pale head, crimson axillaries rule only similarly-built species	is 6, 7 & 8. Explain: out forked-tailed flycatcher
		Distance (how measured)?  12. Optical e	equipment:
	13.	Light (sky, light on bird, position of sun in relation to bi	
	14.	Previous experience with this species and similarly appearing the Seen many scissortants in TX and FLA.	ng species:
	15.	Other observers:	
	16.	Did the others agree with your identification?	
	17.	Other observers who independently identified this bird:	
	18.	Books, illustrations and advice consulted, and how did these	influence this description:
	19. Sig	How long after observing this bird did you first write this criving sighting; transcribed \$-23-81 nature: Michael C. Newlan Address: 908 Wale	description? Notes taken
		e: 5-23-81 City, State: Iowa C.	

8. behaution: before moving to a New one a short distance away. Very active, Never moving remaining at a perch for long. Twice made long flights that carried it out of sight, to return in 10-15'. In thees, tended to perch helfway up, only once in top.