DOCUMENTATION FORM for extraordinary bird sightings in Iowa What species? Scissor-tailed Flycatcher (Muscivora forfic) How many? Location? N.E. of Warbonsie S.P. on gravel road. Type of habitat? On edge of Loess Hills, on telephone wire between heavy woods and openfield When? date(s): April 24, 1982 time: Who?your name and address: Francis L. Moore, 264 Western Ave., Waterloo, 14 50701 others with you: Ross Silcock, Bob Myers others before or after you: None Describe the bird(s) including only what you observed. Include size, shape, details of all parts (bill, eye, head, neck, back, wing, tail, throat, breast, belly, under tail, legs, feet). Also mention voice and behavior. Highway 2 through Warbansie S.P. was closed to the East of the Park. We took a defour route to get to the park to get the Louisiana Waterthrush. Bob Myers was driving. As we came over the first hill from Highway 2 we all three roticed the long-tailed bird ahead on the telephone line at about the same time. We stopped yards from the bird and set up a telescope to get a better view. Locking at the bird through the scope at 25 x was guite a sight. The bird we saw was a light gray color on the head and back with black wings and a black tail that was about 21/2 times the body length. The bird had a white throat and belly. The lower belly was a light pink color with a very bright resy red patch at the bend of the wing. The legs and feet looked very small compared to the rest of the bird. The feet and bill was black. A real "beauty"!! The bird did make one fly catching foray and returned to its perch on the wire. When we attempted to get closer to get closer pictures the bird flew over the woods to the west and would not be found again. I did get 2 photos of the bird at long range with my too mm telephoto. You can definately tell it is a Scissor-tailed Flycatcher from a long way off. No call or song was heard.

Similar species and how eliminated: Western Kingbird is darker on head and back and has yellow breast and belly and lacks the extremely long tail feathers that this bird had. Eastern Kingbird has a dark gray head and back and also lacks the long tail feathers.

Did any one disagree or have reservations about identification?

If yes, explain:

Viewing conditions: give lighting, distance (how measured), and optical equipment: Very good viewing conditions, sunny. Viewed from approx. 60 yds through Bushnell Spacemester telescope with 25 x eyepiece and 7×35 mm b+L Roof Prism bineculars.

Previous experience with species and similar ones: Have no previous experience with Scissor-tailed. Have lots of experience with Eastern Kingbird and quite a few sightings of western.

References and persons consulted before writing description: None.

How long before field notes made? 3 hrs. this form completed? 1 1/2 days

MAIL TO: T. H. Kent, Field Reports Editor, 211 Richards Street, Iowa City IA 52240