

Red Phalarope

< 1907

Haywarden, Sioux Co., IA

Berry

Anderson 1907

Record Number: 81-AN
Classification: NA

REFERENCE

Anderson 1907: "G. H. Berry reports it as a 'rare migrant' at Hawarden, Sioux county."

VOTE (1981): 4-V, 3-VI

VI, vague second hand response to Anderson's request for data.

V, no details.

VI, Insuf. data.

VI, no data.

V, Same problem as #1; observer competence has been questioned, which would not allow possible elevation to IV.

88. (222). *Crymophilus fulicarius* (Linn.). Red Phalarope.

The Red Phalarope "breeds in the far north, coming south in winter to the northern half of the Mississippi Valley. Has been recorded from Illinois (Nelson) and from Minnesota (Hatch)"

(Cooke, Bird Migr. in Miss. Val., 1884-85, p. 89). The species is listed by J. A. Allen (White's Geol. of Iowa, 1870, 426). G. H. Berry reports it as a "rare migrant" at Hawarden, Sioux county.] 1

Kumlien and Hollister state: "Small flocks may be met on Lake Michigan and Lake Superior in autumn, and occasionally straggling individuals wander to the inland lakes . . . four on Lake Koshkonong, September 3, 1891, one June 4, 1877" (Bds. of Wis., 1903, 41).] 2

Phalaropus fulicarius (Linnaeus). Red Phalarope

This species was listed by J. A. Allen (White's Geol. of Iowa, 1870). Anderson (1907) listed a report by George H. Berry from Sioux County. There are no Iowa specimens. T. C. Stephens recorded (Wilson Bull., XXVIII, p. 92) a specimen taken in Union County, South Dakota, November 28, 1912. It was secured but a few miles west of Sioux City, Iowa.]

Anderson 1907
pp 211-212

DuMont 1934
p 156