Records Committee, Iowa Ornithologists' Union Printed: 08/05/93

Ferruginous Hawk
29 Apr 1989
1 w. of Conesville, Louisa Co., IA
*P. Petersen
IBL 59:81, 61:85

Record Number: 89-14 Classification: NA

DOCUMENTATION

Peter C. Petersen

REFERENCES

Field Reports: IBL 59:81 Records Committee: IBL 61:85

VOTE 1 A-D, 6 NA

NA. Very suggestive, but not very detailed description. What was location and shape of "primary patch"? Faint wrist comma mark was mentioned but what did patagial area look like? Many of the features noted sound very much like Ferruginous Hawk but there is very little description of the rest of the bird. Again, this is a good observer and reasonable description but brevity of documentation makes one wonder how well bird was seen and this is a species that should be seen and described well.

NA. Tough call. While this record could be correct and despite the experience of the observer, the details are thin. The absence or presence of the patagial area was not mentioned, although this is not necessarily diagnostic. White primary patch was observed, but not described. Finally, hovering can be consistent with Ferruginous (but rare: Wilson, IBL 56:4), however, any raptor can give appearance of hovering when hunting into wind. Wind speed and direction not noted, so no way to judge.

A-D. I can find nothing in this description that does not

support Ferruginous.

NA. I think all the features described could just as easily fit a Rough-legged Hawk. A better description of "primary

patches" would have helped.

NA. Description is suggestive—white below, dark above with white in primaries. Wing shape could have been described in detail. Should have white at base of tail. I saw bird in this area at about the same time, but was too far away to identify it. I wish I had made notes. Why didn't the other observers document this bird?

NA. Several things bother me about this sighting. White primary patch mentioned but not location of this white patch or its shape. Shape of this patch very important. Lightness or darkness of patagium not specifically mentioned. Body shape not mentioned. Attitude of wings not noted. I cannot say for sure that this is a Ferruginous Hawk. Not enough details in some key areas.

SENT TO: Peter C. Petersen, 235 McClellan Blvd., Davenport, IA 52803 [8/7/89]

DOCUMENTATION FORM

| For Extraordinary Bird Sightings in Iowa 89-14 | |
|--|-----|
| What species? Ferruginous Hacek - inim How many? | |
| Location? mi W. Conesville edge of Muscatinet Louise Cos. ## | |
| Type of Habitat? cuiltivated Fields | _ |
| When? date(s): 29 April 1989 | • |
| Who? your name and address: Peter C. Petersen, 235McClellan Hvd Davengo | JT. |
| Others with you: Brian, Corestlevis Blevins. | 47 |
| Others before or after you: none to our Unouladge | *0 |
| Describe the bird(s) including only what you observed. Include size, shape, details of all parts (bill, exhead, neck, back, wing, tail, throat, breast, belly, undertail, legs, feet). Also mention voice and behavior. Large buteo, seemed very long winged. From below very light, primary tips levely ray, tail dustry toward tip. Upperwing dad brown, white primary patch very notice. He, tail greyish outpersar face but no well-defined terminal band. Bodt to go shead lash brown. Wing from below showed a faint dark wrist "comma" mark Bird not werd. It flew low, then so ared up an swooped, hovering twice. | 4 |
| Similar species; how eliminated: Rough tegged Hauk - Underwing would show more lack in the underwing coverts, well defined tail bond | |
| | |
| Did any one disagree or have reservations about the identification? <u>no</u> | |
| Viewing conditions: give lighting, distance (how measured), optical equipment. Mostly cloudy, birdusting the fairly low & covered a great distance backs forth near usday the observation. Bird asclose as 100 m. 10440 binoculars-Zeiss. | 25 |
| Large buteo, seemed very long winged. From below very light, primary tips derky ray, tail dusky toward tip. apperving dad brown, white primary patch very notice. He, tail greyished appergar Face but no well-defined terminal band, Bodh togo thead dark brown. Wing from below showed a faint dark wrist "comma" mark Bird not word It fle a low, then so ared up an suppoped, hovering twice. Similar species: how eliminated: Rough-legged Hauk - Underwing would show more dark in the underwing coverts, well defined tail boad Kriders Redetail - has a very light hood. Did any one disagree or have reservations about the identification. | |

Previous experience with species and similar ones: Have seen previously in Iax Il, you several occasions in South Dakota + Nebraska

References and persons consulted before writing description: Geo garde, Hawks Fig. bx Clarks whele

How long before field notes made? 10 min. this form completed? 7 hvs.

Send completed form to Field Reports or CBC editor (address on back cover of Iowa Bird Life).