Records Committee, Iowa Ornithologists' Union Printed: 02/03/94

Ferruginous Hawk 3 Oct 1921 Sioux City, Woodbury Co., IA specimen mounted by A. J. Anderson Stephens 1930, DuMont 1933 Record Number: 93-GQ Classification: NA

## REFERENCES

Stephens, T. C. 1930. Bird records of the two winters 1920-1922 in the upper Missouri valley. Proc. Iowa Acad. Sci. 37:357-366. p 361.

DuMont 1933 Wilson 1988

VOTE: 5 NA

NA, A dark female mounted by Mr. Anderson, No. 4272. I do not know whether this is a museum number or Mr. Anderson's number. Not enogh detail to make any judgement. Stephens, a respected ornithologist, does not say whether or not he saw the specimen, and DuMont does not mention looking for it./thk

Stephens, T. C. 1930. Bird records of the two winters, 1920-1922, in the upper Missouri valley. Proc. Iowa Acad. Sci. 37:357-366 (361).

FERUGINOUS ROUGH-LEG. Archibuteo ferrugineus. Two specimens were mounted by Mr. Anderson, as follows: \*\*\*

Oct. 3, 1921, a female from near Sioux City, Iowa. No. 4272. This was a very dark specimen.

Nov. 23, 1921, a female reported to have been taken near Kingsley, Iowa.

DuMont 1933

Buteo regalis (Gray). Ferruginous Rough-leg

An irregular and decidedly uncommon migrant in the western part of the state, rarely straggling into the eastern portion. Bailey (1918) recorded it as occurring in Blackhawk, Linn, Woodbury, Pottawattamie, and Mills counties. No doubt this record was based upon the county records as published by Anderson (1907). The observation of this bird in winter, as reported by Berry in Linn County, may well be discredited, lacking substantiating evidence.

Bennett (1931) recorded it as an uncommon migrant in the Sioux City region. DuMont (1931) recorded that a pair of these birds was observed by Mr. and Mrs. J. E. Stewart at Brenton's Slough, Polk County, May 5, 1929. On June 6, 1929, a pair was seen at the same place by A. T. Watson, K. R. Nelson, and the writer. Nauman reported one seen near Sigourney, Keokuk County, April 2, 1919, and two in the same locality, March 28, 1923. Spiker (1924) recorded one found hanging on a fence, November 4, 1914 in Wapello

County. Pierce (1930) observed a single bird on his farm in Buchanan // County, March 17 and 19, 1926. Another was seen near Hazelton, 13 in the same county, April 13, 1930.

A female, taken at Cedar Falls, Blackhawk County, June 25, 1901, is in the collection of Iowa State Teachers College, Cedar Falls. Stephens records (1918) that A. J. Anderson of Sioux City mounted one of these birds September 17, 1917 which had been shot at Brown's Lake, Woodbury County. Two other specimens mounted by Anderson were recorded by Stephens (1930). One was a female, taken near Sioux City, October 3, 1921, a very dark specimen; the other, also a female, reported to have been taken near Kingsley, Plymouth County, November 23, 1921.

Wilson, B. L. 1988. Records of Ferruginous Hawk in Iowa. Iowa Bird Life 58:95-100. (cont)

Ferruginous Hawk Records for Iowa Through 1987

Da	te	County	Reference	Comment
25	Jun 1901	Black Hawk	DuMont 1933	specimen lost?
bef	fore 1907	Linn	Anderson 1907	detail, Clark-
4 N	Nov 1914	Wapello	Spiker 1924	dead bird, no detail
17	Sep 1917	Woodbury	Stephens 1918	mounted, no detail
	Apr 1919	Keokuk	DuMont 1933	2, no detail
	Dec 1919	Story	Stoner 1920	specimen, no detail
	Oct 1921	Woodbury	Stephens 1930	mounted dark female
100000	Nov 1921	Plymouth	Stephens 1930	mounted female
100	Mar 1923	Keokuk	DuMont 1933	2. no detail
	Mar 1926	Buchanan	Pierce 1930	no detail
	lun 1929	Polk	DuMont 1929	2, detail, Clark-
	Apr 1930	Buchanan	Pierce 1930	no detail
	Mar 1934	Dallas-Perry	DuMont 1934	2. detail, Clark-
	****	Dallas-Long Pond	DuMont 1934	2, no detail
E21172	Mar 1934			detail, Clark-
	Apr 1934	Dickinson	DuMont 1934	
	Apr 1934	Clay	DuMont 1934	no detail
	Apr 1934	Emmet	DuMont 1934	detail, Clark-
	Mar 1936	Woodbury	Stiles 1946	no detail
	Aug 1936	lowa	Univ. IA specimen 29674	See photos
	lan 1939	Johnson	Johnson 1939	3, detail, Clark-
	May 1946	Dickinson/Emmet	Musgrove et al. 1947	no detail
8 5	Sep 1946	Polk	Stiles 1946	no detail
1 0	Oct 1951	Fremont	Brown 1971	no detail
31	Dec 1954	Grundy	IBL 25:10	detail, Clark+
3 1	Nov 1962	Adair	Petersen 1962	detail, Clark-
19	63	Marshall	IBL 34:10	no detail
19	63	Cherokee	IBL 34:20	no detail
26	Dec 1966	Bremer	IBL 37:6	no detail
26	Dec 1970	Page	IBL 41:13	detail, Clark-
-17 (7)	Dec 1972	Story	IBL 43:4	no detail
	Oct 1973	Page	IBL 43:104	7. detail, Clark+
	Dec 1974	Bremer	IBL 45:8	no detail
_	b 1977	Lucas	Roosa and Bartlett 1977	no detail
	Oct 1977	Pocahontas	Gilmer et al. 1985	road kill, banded
	Oct 1977	Page	doc, IBL 47:144	Toda IIII, odrioos
100	b 1978	Harrison	IBL 48:70	detail. Clark-
	7 Feb 1979	Johnson/lowa	doc (2), IBL 49:24	Clark-
100	Dec 1980	Fremont	doc, IBL 52:42	RC(80-27)-, Clark-
				RC(83-31)+, Clark+
	Oct 1983	Page	doc, IBL 54:38	
	Sep 1984	Marshall	doc, IBL 55:58	RC(84-24)+, Clark-
	Oct 1984	Pocahontas	doc (2), IBL 55:58	RC(84-23)-, Clark+
	Dec 1984	Tama	doc, IBL 55:58	RC(84-34)-
	Mar 1985	Cherokee	doc, IBL 56:44	RC(85-03)-
	Sep 1985	Story	doc, IBL 86:44	RC(85-16)-, Clark+
1 F	Feb 1986	Appanoose	doc, IBL 57:78	RC(86-06)-

IBL citations are for Field Reports, Christmas Bird Counts, Bird Banding Summaries, and Records Committee Reports in Iowa Bird Life; doc = documentation on file with Records Committee; no detail = no description of the bird; RC() = Records Committee (record number); Clark = William S. Clark; + = accepted record; - = record not accepted.

Reports since 1970 were all from fall and winter (September through February). Most were from October (5), December (5), and February (4), months when this species is expected. Of course, other hawks, including Krider's Red-tailed Hawk (*Buteo jamacensis krideri*), also migrate through and winter in Iowa during these months and may be confused with Ferruginous Hawk.