1				MOURE page 1 of 2			
CO	NTRIBUTOR: Francis	Moor	e	OTHER OBSERVERS: as noted 94			
	SEASON: Summer 264 Western Are						
	YEAR: 1981 Water W 14 50701						
	WEATHER/HABITAT: describe any unusual features at bottom of page						
	ECIES	NO.	DATE	LOCATION - COMMENT - OTHER OBSERVERS			
L	east Bittern	6	7-5-81	Sweet Marsh			
E	Imerican Bittern	1	7-5-81	Sweet Marsh			
_		1	7-26-81	Sweet Marsh			
-R	ing-necked Duck		7-5-81	Sweet Marsh, either a female or a male			
				in eclipse plumage			
V H	ooded Merganser	19	6-21-81	Lylah's Marsh, Howard County; possibly			
				nesting, did not see male; with Russell Hays			
R	uddy Duck	2	6-21-81	Lylah's Marsh; pair of birds, male and			
				female could possibly be nesting; with Russell Hays			
R	ed-shouldered Hawk	1	7-26-81	Sweet Marsh Hays			
A	merican Coot	(1	7-26-81	7 3/4-grown young seen at Sweet Marsh			
- L	esser Golden Plover	8	7-26-81	Flying low over parking lot at Sweet Marsh			
- Se	olitary Sandpiper	1		Sweet Marsh, very early migrant			
S	potted Sandpiper	17	7-5-81	Sweet Marsh; mostly in fall plomage, gone			
				the next day, large number at one place			
B	black Tern	2	6-21-81	Lylah's Marsh; Very poor for any species			
				of tern in June and July only two Terns			
				seen; with Russell Hays			
Ch	uck-will's-Widow	2	6-13-81	Shimek S.F.; near ranger station			
-		5	6-27-81	N.W. of Waubonsie S.P.			
~ Rub	y-throated Hummingbird	1	6-13-81	Shimek S.F.			
~		1	7-26-81	Volga Lake State Rec. Area.			
- be	Ited Kingfisher			Higher than normal numbers encountered at			
				all water-filled areas near Waterloo			
We	estern Kingbird	2	6-27-81	on roads between Riverton WMA and Forney Lake			

page 2 of 2

-			
CONTRIBUTOR: Francis	Moo	re	OTHER OBSERVERS: as noted
SEASON: Summer			
YEAR: 1981			
SPECIES		and the second se	eatures at bottom of page
1	NO.	DATE	LOCATION - COMMENT - OTHER OBSERVERS identified by "peet-suh" call
- Acadian Flycatcher	3	6-13-81	Lacey-Keosaqua S. P. and Shimek S.F. identified by "fitz-bew" call
- Willow Flycatcher			Common at Sweet Marsh and Big Marsh this year
- Alder Flycatcher	2	6-13-81	Shimek S.F. identified by "fee-bee"-0" call Sweet Marsh
- Least Flycatcher	6	7-5-81	identified by "che-bek" call, one family of
			5 included 3 fledgling young being fed by two
			adult birds. See documentation.
White-eyed Vireo	1	6-13-81	Shimek S.F.
- Prothonstary Warbler	2	6-27-81	Riverton W.M.A.
- Blue-Winged Warbler	8	6-13-81	Shimek S.F.; one feeding a fledgling Brown-
			headed Combird.
- Northern Parula Warbler	1	6-13-81	Lacey-Kessaqua S.P.; male singing
Yellow-throated Warbler	2	6-13-81	Lacey-Keosaqua S.P.; pair with male singing at
			stone bridge near Ely Ford.
Cerulean Warbler	3	7-4-81	Wild Cat Bluff Co. Park, Benton Co.; with bob Myers
	3	6-13-81	Lacey-Keosaqua S.P. and Shimek S.F.
Louisiana Waterthrush	4		Shimek S.F.; pair of adults feeding 2 fledgling
			young not too long out of nest.
- Yellow-preasted Chat	1	6-13-81	Shimek S.F.
	1	7-4-81	Dudgeon Park, Vinton, with Bob Myers
- Scarlet Tanager	1	6-13-81	Shimek S.F.
	1	7-26-81	Volga Lake State Rec. Area.
- Summer Tanager	1	6-27-81	Waubonsie S.P.; male singing at 4:00 p.m.
Blue Grosbeak	2	6-27-81	roads between Riverton W.M.A. and Forney Lake
- Savannah Sparrow	2	6-27-81	
Clay-colored Sparrow	1	7-26-81	Said Very uncommon at this time of year. Singing male at Volga Lake State Rec. Area

AN EXTRAORDINARY SIGHT RECORD								
1.	Species Least Flycatcher (Empidonax minimus) 2. Number 5 2ad 3 im fledglings							
3.	Location Sweet Marsh (East side)							
	Date: July 5, 1981 5. Time Bird Seen: 7:30 am. to 7:45 a.m.							
6.	Description of size, shape and color-pattern (<u>describe in great detail</u> all parts of the plumage, and beak and feet coloration, in addition, to the diagnostic charac- teristics, but include only <u>what actually was seen in the field</u>):							
	the birds were first found by the almost continuous "che-bak" songs coming from a small grove of River Birch. When located I noticed two adult birds catching inseets on the wing and then taking the insects to one of three fledgling							
	birds located within about a 20' to 30' square area where they were							
	birds located within about a 20' to 30' square area where they were waiting for the adults to bring food to them. They were about 10' to 30' up in the River Birch trees. It looked as though they were only out of the nest a few days, and could not fly very well. Adults were a dark gray on head, back, darker gray on wings and tail with light wing bars and a slight eyering. While to very light gray color. Actions were those of typical snall empide and the belly ups while observed. Accent on "bet" part of call.							
7.	Lower mendible was light yellow color. Upper mandible black. Breast and belly uper white to very light gray color. Actions were those of typical small Empidonax fly catcher. Description of voice, if heard: a "che-bek" call repeated almost constantly							
1200	Description of behavior: Setting on small branch, would then don't out and catch							
	insects in air and return to perch or carry several insects to one of the three fledalings							
	Habitat - general: Small patch of deciduous woods boardering open marsh near dike. specific: Small group of River Birch, fairly dense, on East side of Sweet Marsh.							
10								
10.	Similarly appearing species which are eliminated by questions 6, 7 & 8. Explain: The only similar species seen in vacinity and that would prefer being close to this habitat type would be the Willow Flyeatcher (E. traillii) which is roled out because of the "che-bek" call							
11.	Distance (how measured)? At closest 15 feet 12. Optical equipment: 7×35 B+L Binoculars measured by eye (estimate)							
13.	Light (sky, light on bird, position of sun in relation to bird and you): Bird was to - East of my location throughout abcompation. So to East also Biltered							
14.	Bird was to East of my location throughout observation. Sun to East also filtered through River Birch trees. (Light on bird was very good to excellent.) No havsh shadows. Previous experience with this species and similarly appearing species: Have heard and seen this species many times during mining the second of the second							
	seen this species many times during migration. I am also tamiliar with other four Eastern Empidemax species and their calls, ie., Acadian, Willow, Alder, Yellow-bellied Flycatchers. Other observers: Lym beaps, Sacramento, CA.							
16. 17.	Did the others agree with your identification? Yes but it was first time she had seen or heard this species and wasnot familiar with this species prior to this time. Other observers who independently identified this bird: Lynn Heaps, as analytically as							
	She could under the circumstances (new life) Books, illustrations and advice consulted, and how did these influence this description: R.T. Peterson, A Field Guide to the Birds East of the Rockies. As a reference on how to spell the scientific name only. No influence on my observation.							
19.	19. How long after observing this bird did you first write this description? 5 Hours							
Signature: Francis Maore Address: 264 Western Ave.								
Date: July 5, 1981 City, State: Waterloo, 14 50701								