Records Committee, Iowa Ornithologists' Union Printed: 11/24/00

Black-legged Kittiwake 26 Apr 1998 Rathbun Res., Appanoose Co., IA \*Ray Cummins, \*Tom Johnson IBL 68:93 Record Number: 98-16 Classification: A-D

## DOCUMENTATIONS

Ray Cummins [\*9/4/98] Thomas N. Johnson, Rt 1, Mystic REFERENCES

Field Reports: IBL 68:93
Records Committee: IBL 69:89

VOTE: 7 A-D

A-D, Unusual time of year for this species to appear. All the key features of first year bird well described.

A-D, Interesting date but probably fitting for this peculiar spring.

A-D, I wrote Tom Johnson and he replied that April 26 is the correct date, not April 2 as he had indicated. Only the broken tail band suggests molt to first-summer plumage, but perhaps early fading of the black areas would not be noticeable. Kittiwakes are the same length as Ring-billed Gulls but have a much shorter wing span. Otherwise, the characteristic marks of a first-year kittiwake are noted. Midwestern states have 2 to 6 spring records of kittiwakes with the most in April and almost all first-year birds.

A-D, Tom Johnson says April 2. Which is correct? Description is adequate, although surprising plumage for a spring migrant.

Species: Black-LEGGED KITTIWAKE

Number: (

LOCATION: LAKE RATHBURN

Observer: RAy Cummins

Others before/with/after: Tom Johnson, Mike Stevens

Date: 4-26-98 Time bird seen: 3 pm to 4 pm

Habitant & Pennisula at Lake Rathbun Circumstances: Identified on thyby at dedication sight turther confirmed w/ very close look an Pennisula

Description: Size of Ringbilled Gulls - Black collars permient,
Black bill'& Leg 3 - Black W in flight Black trailing
Edge to tail WAS broken not solid on this bird.

Description of voice:  $\mathcal{N}/\mathcal{H}$ 

Similarly appearing species:

Distance: 15yds Setting 50 to 150ydr flying Optical equipment: Row 20-60x Scope & BINOCULARS

Light: Good

Previous experience with species: Seen 6-10 in Iowa

Anyone have any reservations: NO

Books and references:

Time of field notes: Nowe.

Final typing: 6-2-98

Signature: Kay (umming) Address:

Date: 6-2-98

ol
What species? Black-legged Kittiwate - 1stuinter How many? 1
1
Type of Habitat? Bogtramp (104=doff) on Late Malhan  When? date(s): 4-2-93  time: 430 to 5:10
When? date(s): 4-2-98 time: 4.30 10,5:10
When? date(s): 4-2-98  Who? your name and address: Thomas N. Johnson BT I Mystic, IA.
Others with you: " all (amn) " ; ///// // /// //
Others before or after you: nonp that I truck of
Describe the bird(s) including only what you observed. Include size, shape, details of all parts (bill head, neck, back, wing, tail, throat, breast, belly, undertail, legs, feet). Also mention voice and beha Mike and Hay called me that they more at the Lake and and some hat a Black-1-99-1 killimake fly by und land on a closed of the part and had a formal had a formal had a problemate it now my the sylly and following. We localed in hit had not been a problemate a problemate and athless mile distance could got the black syllohess a problemate it has neck. I saw the bank hill, black logs, black satisfied bank had been a formal at location to the hard had been and hack on much that hay some at hill and hand had a problemate it has about the same size as the ring hilled in the distinctive wing pattern and larger than the Frankling. We made it fly aid and larger than the frankling.  Similar species; how eliminated: Bonopoilts gull - no black area on hock-wing pattern different.
Did any one disagree or have reservations about the identification? NO
Viewing conditions: give lighting, distance (how, measured), optical equipment.  Towa griffing scope
Previous experience with species and similar ones: soon b.L. tillivatio 3006 times  In I can , soon binapaile every year.
References and persons consulted before writing description: Wallonal Gragianic)
How long before field notes made? game night this form completed? I wanth
Send completed form to Field Reports or CBC editor (address on back cover of Iowa Bird Life).

A STATE OF THE STA