

Sabine's Gull
15 Oct 1891
near Burlington, Des Moines Co., IA
Paul Bartsch
spec, P-0058, Bartsch 1899

Record Number: 93-EQ
Classification: A-S

SPECIMEN

University of Iowa, #15981

PHOTOGRAPH

T. H. Kent, of specimen, P-0058

REFERENCE

Bartsch, P. 1899. *Xema sabinii* and *Chordeiles virginianus*
sennetti additions to the Iowa avifauna. Auk 16:86.

Anderson 1907

DuMont 1933

Cooke

VOTE: 5 A-S

A-S, The photograph shows a juvenile with fine edging on the wing coverts, black outer primaries, white inner flight feathers, soft gray through the eye, back of head, and on the side of the neck. I am making the assumption that the sand bar was in Iowa or that the birds had at least been flying over the Iowa side of the river. /thk

Sabine's Gull
P-0058
Burlington, Des Moines Co.
12 Oct 1891 collected by Paul

93-EQ
93-ER

Cooke, W. W. . Distribution and Migration of North American Gulls
and Their Allies. Bull 292 US Dept Agriculture. pp 1-70 (P 68)

In the interior Sabine's gull has been taken at Cayuga Lake, N. Y., about 1887 (Eaton); on the Mississippi River opposite Clark County, Mo., September, 1900 (Worthen); once at Cleveland, Ohio (Winslow); Ann Arbor, Mich., November 17, 1880 (Covert); Burlington, Iowa, October 15, 1891, and October 12, 1894 (Bartsch); Delavan Lake, Wis., October 7, 1900 (Hollister); Big Lake, near Claremore, Okla., November, 1910 (Strode); Humboldt, Kans., September 21, 1876 (Snow); Beatrice, Nebr., September 2, 1899 (Swenk); Lincoln, Nebr., near, September 30, 1899 (Carriker); Albuquerque, N. Mex., October 7, 1900 (Birtwell); Ogden, Utah, September 28, 1871 (Allen); Terry, Mont., several, September 22-23, 1904 (Cameron); Corvallis, Oreg., September 14, 1904 (Shaw); Mono Lake, Cal., September 18, 1901 (Fisher); and Okanogan Lake, British Columbia, September 9, 1897 (Brooks). It is somewhat strange that there should be about as many records of Sabine's gull in Colorado as in all the rest of the interior. Most of them are between September 3 and November 17, and come from the western edge of the plains from Fort Collins to Denver, but one was taken September 26, 1886, in the mountains near Breckenridge at 10,000 feet altitude (Carter).

Bartsch, P. 1899. Xema sabinii and Chordeiles virginianus sennetti—additions to the Iowa avifauna. Auk 16:86.

Xema sabinii and Chordeiles virginianus sennetti—Two Additions to the Iowa Avifauna. — My collection of Iowa birds contains two immature specimens of Sabine's Gull, both of which were taken on the sandbar immediately above Burlington, Iowa. No. 50, (S. U. I. No. 15981) ♂, was shot Oct. 15, 1891; No. 51, (S. U. I. No. 15982) ♀, Oct. 12, 1894. These I believe are the first records of this species for Iowa. The specimens are deposited at the State University of Iowa at Iowa City.

The Smithsonian Institution recently received a specimen of Sennett's Night Hawk from Mr. C. F. Henning of Boone, Iowa, shot four miles southeast of that place. This variety seems so far to have escaped Iowa observers and it gives me pleasure to add it to our list. — P. BARTSCH, Washington, D. C.

16. (62). Xema sabinii (Sab.). Sabine Gull.

Only two specimens of this species have been recorded as captured in Iowa. Dr. Paul Bartsch (Auk, xvi, 1899, 86), says: "My collection of Iowa birds contains two immature specimens of Sabine's Gull, both of which were taken on the sandbar immediately above Burlington, Iowa. No. 50 (S. U. I. No. 15981) male, was shot Oct. 15, 1891; No. 51 (S. U. I. No. 15982) female, Oct. 12, 1894. These I believe are the first records of this species for Iowa. The specimens are deposited at the State University at Iowa City."

Anderson 1907
p 156

Bent, A. C.: Life Histories of North American Gulls and Terns.
Bull 113 US Nat Museum, Washington, 1921. p 196

Winter range.—From Southern Greenland and Hudson Bay south to Maine. Irregular, but at times common, from Massachusetts, southward, New York (Long Island), New Jersey, and Delaware to South Carolina (Anderson). Occasionally common on the Great Lakes, straggling to northern Ohio (many taken 1896), Indiana (December, 1896), and central Iowa (two specimens). In Europe winters farther north, rarely south of Norway, Great Britain, and the North Sea.

Xema sabinii (Sabine). Sabine's Gull

A casual visitor. There are three Iowa specimens. Two in the University of Iowa Museum were taken by Paul Bartsch at Burlington, Des Moines County. No. 15981, a male (?), was secured October 15, 1891, and No. 15982, a female, was collected October 12, 1894. One in the Davenport Public Museum, No. 10215, was taken in Scott County, by W. L. Allen. Date and sex were not recorded.

1933
DuMont ~~1934~~
p 78