Records Committee, Iowa Ornithologists' Union Printed: 09/07/93

Lesser Black-backed Gull 4 Feb 1987 Bettendorf, Scott Co., IA *C Fuller, *P. Petersen IBL 57:56, 58:74 Record Number: 87-05 Classification: A-D

DOCUMENTATIONS

Chuck Fuller, 4 Feb

Peter C. Petersen, 6 Feb

REFERENCES

Field Reports: IBL 57:56
Records Committee: IBL 58:74

VOTE: 1-II, 5-III, 1-IV

III, Both observers give good description of mantle color and seem to agree on yellow legs. One called head white, other noted the expected brown streaking.

III, I would judge to be Iowa side, if location same as Great

Black-backed.

III, Description adequate to eliminate other species, right time and place for this species to show up in Iowa.

III, Descriptions seem to eliminate other possibilities.

II, Thru 2/14/87 at least. At least 2 birds present--seen several times at Sunset Park Rock Island, II. off Miss. 2-14 to 16, by PCP, Doug Reeves, Laura Jackson, Bill Bertrand and others.

IV, Fuller does not consider California, even though legs described as "yellow." Mantle intermed. between Herring and GrBlbacked, which would fit California. Light not very good for Petersen observation.

REVOTE (at meeting, 30 May 1987): 7-III

DOCUMENTATION FORM for extraordinary bird sightings in Iowa What species? LESSEN BLACK BACKED GOLL HOW many? Location? Soon From KIVERS ID E PARK MOLINE (SETTENDINE TA) Type of habitat? KIUSA norshbaod time: 3:Bopmto 4330PM When? date(s): Who?your name and address: CHUCK FULLER 420 S. GARFIELD BUR others with you: TANE fuller others before or after you: Nove THAT T KNOW OF Describe the bird(s) including only what you observed. Include size, shape, details of all parts (bill, eye, head, neck, back, wing, tail, throat, breast, belly, under tail, legs, feet). Also mention voice and behavior. I WAS SCOPING A-NUMBER OF GULLS ALONG BAR IN MISSISSIPPI RIVER LOOKING SPECIFICALLY FOR A GREATER BLACK BACKED GULL (SEEN HERE PREVIOUSLY) ON A GLAUCOUS GWL. I CAME UPON A GULL WHOSE MANTLE WAS MARKEDLY PARKER THAN A HERRING GOLL RIGHT NEXT TO IT (MANY HERRING GULLS LINED UP WITH 4-5 IN SCOPE AT ONCE) THIS MANTLE WAS NOT COAL BLACK AS GREATER BLACK BACK ED BUT AN INTERMEDIATE BETWEEN GRAY OF HERRING AND COAL OF GREATER BLACK BACKED - SIZE WAS SIMILAR TO HERRING DR SLIEGTLY SMALLER - LEGS WERE YELLOW, HEAD WHITE I TRIED TO DISCERN BILL MARKING -DEPINITELY HAP AMARKING- COLOR & BIRD DID NOT FLY I MOUED DOWNSTREAM TOCHECK OTHER GULLS (STILL IN RIVER-SIDE PARK) AND LOOKED BACK AND STILL COULD PICKTHIS GULL OUT. I CWAS 600 995 AWAY BYTHEN. STILL COULD PICKTHIS GULL OUT. I CONCLUSION. ADULT LESSER BLACK BACKER GULC Similar species and how eliminated: GREATEN BACKED - YELLOWLEGS

GREATEN BLACK BACKED - YELLOWLEGS

GREATEN BLACK BACKED - SIZE - LEGGOLDE. DIFFERENCE INMANTE Did any one disagree or have reservations about identification? No - Except Experience WITH SPECIES If yes, explain: Viewing conditions: give lighting, distance (how measured), and optical equipment: GOOD TO EXCELLENT 200 4ds 25x CELESTRON SCOPE Previous experience with species and similar ones: SEEN KEOKUR DAM 1986 10/22/86 References and persons consulted before writing description: this form completed? 20AYS. How long before field notes made? Notes IMMERIATELY

MAIL TO: T. H. Kent, Field Reports Editor, 211 Richards Street, Iowa City IA 52240

BIRDS: VERIFYING DOCUMENTATION OF AN EXTRAORDINARY SIGHT RECORD.

1.	Species Lesger Black-backed Gull 2. Number of birds:
3	Location old seawall justs. of Mississippi Chaund County: Rockets and Scott Date: 6 Feb. 1987 Description of size, shape and color-pattern (describe in great detail all parts of the
٥.	Chippy before to Must Be Hendord
4.	Date: 6 Teb. 1987 5. Time bird seen: 5.05 [to 5.20 [M. to 5.20 [M
6.	Description of size, shape and color-pattern (describe in great detail all parts of the plumage, and beak and feet coloration, in addition, to the diagnostic characteristics,
	but include only what actually was seen in the field):
	adult plumaged gull slightly smaller than nearby Herring Gulls.
	Head, breast + beily white with some tan Fleching on head + nech. Head, breast + beily white with some tan Fleching on head + nech. Mantle darkgrey much darker than Henrings standing with this Mantle darkgrey much darker than Henrings standing with this
	bird. Wing tips black with white tips, bill yellow, darkish at fip, probably
	red but light was failing Legs looked yellow white area between mantle
7.	bird. Wing tips black with white tips bell yellow, darhish at fip, probably red but light was failing Legs looked yellow white area between mantle to again for one white area on lower back. It ip-probably a dofferent be description of voice, if heard: The probably a dofferent between the probably and the probably a dofferent between the probably and the probably a dofferent between the probab
8.	Description of behavior: standing on sexual
9.	Habitat - general: Mississippi River
	specific: seawall in middle of viver
0.	Similarly appearing species which are eliminated by questions 6, 7 & 8, Explain: Great Black-backed Gull-back not black, legs not pink, too rangel glety-backed Gull-legs not redish-pink.
1.	Distance (how measured)? 500 yards, est. 12. Optical equipment: 35 x 500 pe
3.	Light (sky, light on bird, position of sun in relation to bird and you): Sun setting - from left behind observers
4.	Occasions previously in Indiana I Europe
5.	Other observers: Mary Lou Petersen, Ann Barker
6.	Did the others agree with your identification? Yes
7.	Other observers who independently identified this bird: Jane Faller, Gerry White, Tim Dayer
8.	Books, illustrations and advice consulted, and how did these influence this description: checked Geo & Robbins guide to eliminate other possibilities but they did not instruence our description
	did not included but alesery.
9.	How long after observing this bird did you first write this description?/houv
	Betwoe E Stersen Address: 235 Mc Chellan Blood
-	nature
at	e: 6 Feb. 1987 City, State: Davenporte IA, 52803