Records Committee, Iowa Ornithologists' Union

Printed: 09/01/93

Mountain Bluebird Record Number: 84-37 22 Dec 1984 Classification: A-P north of Lamoni, Decatur Co., IA *Livingston, *#Moore, *#Kent, *Armstrong, *Myers, *Petersen, *Fuller, et al.; IBL 55:12, 28, 57; Livingston 1955 DOCUMENTATIONS Jeffrey R. Livingston (22 December 1984) Francis L. Moore (23 December 1984) Thomas H. Kent (23 December 1984) Eugene Armstrong (23 December 1984) Robert K. Myers (24 December 1984) Peter C. Petersen (26 December 1984) Jim Fuller (2 January 1985) Carl J. Bendorf (17 January 1985) Raymond L. Cummins (20 January 1985) Barbara L. Wilson (2 February 1985) PHOTOGRAPHS Francis L. Moore, 23 Dec 1984, P-0153 Thomas H. Kent, 23 Dec 1984, P-0156 (IBL 55:20) REFERENCES Christmas Bird Count: IBL 55:12 J. R. Livingston. 1985. Mountain Bluebird in Decatur County. IBL 55:19-20. Photograph: IBL 55:20 Field Reports: IBL 55:28 Records Committee: IBL 55:57 VOTE: 7-I-P I-P, good clear photo. I-P, saw bird. I-P, Gray breast, gray scapulars, nondescript head pattern indicate S. currucoides. I-P, No problem--even I saw this one (after two tries). I-P, Note: if this is the same bird we saw in February, it molted. Ours was primarily bright blue all over.

J. R. Livingston. 1985. Mountain Bluebird in Decatur County. Iowa Bird Life 55:19-20.

Mountain Bluebird In Decatur County

JEFFREY R. LIVINGSTON 300 S. Cherry St.

LAMONI, IOWA 50140

The participants of the Lamoni Christmas Bird count received a rare treat this year, a Mountain Bluebird! The bird was sighted three miles north of Lamoni, Decatur County, Iowa on December 22, 1984.

Dan Long and I were walking a fence row of cedar trees playing a E. Screech Owl call to make the birds show themselves. As we reached the end of the fence, Dan noticed a strange bird above him in the tree. He called me over to help identify it. After about five minutes we were convinced that was a Mountain Bluebird. We immediately started noting key points about the bird so that we could document it. The bird cooperated completely, it stayed in open view listening to the Screech Owl call. After about five minutes our bluebird flew to another group of cedars about 100 feet away. Dan and I were so excited our only thoughts were to get Donald Gillaspey and his son Jim. Donald is the compiler for the count and we wanted him to see our rare find. We returned 45 minutes later and had a hard time finding the bird again. We soon found it on a nearby pond drinking from a small spot of water that wasn't frozen. This pond later proved to be the easiest place to find the bird.

The bird was a deep sky blue on the head and back, with the upper tail coverts and the primary wing feathers being a brighter blue. The breast was grayish white with a slight hint of blue. It was darker at the top getting lighter towards the belly. Althouth there was no eye ring, the feathers around the eye were a little lighter in color. The light gray on the neck extended around the sides, almost to the back of the neck. The bill was long, thin, and dark. The descriptions fits a male in fresh plumage.

The next morning, after a few phone calls by Donald, I was back out at the pond helping Tom Kent and Francis Moore find the bird. After looking for about an hour we finally found the bird on the pond. When the bird flew to a group of trees, they moved closer and took some photographs. All and all, I must admit, this was the most exciting Christmas count I have been on. I last saw the Mountain Bluebird in this area on December 23, 1984.



Mountain Bluebird Photo by T. H. Kent

DOCUMENTATION FORM

species: MOUNTAIN BLUEBIRD

seen: 1

location: 1 MILE EAST AND 3 MILES NORTH OF LAMONI IOWA

dates: 12/22/84 - 12:00 TO 12:45

Habitat: A SMALL GROVE OF CEDAR TREES AROUND A FARMHOUSE AND A MOSTLY FROZEN POND IN A PASTURE ACROSS THE ROAD. THE CEDAR TREES HAVE MANY BERRIES.

Observed by: JEFFREY R. LIVINGSTON 203 east third, Lamoni, Iowa others: DAN LONG, DONALD GILLASPEY, JIM GILLASPEY, TOM KENT, FRANCES MOORE.

Viewing conditions: - A CLEAR, SUNNY DAY. TEMPERATURE ABOUT 30. WIND ABOUT 10mph FROM SOUTH - EAST. THE BIRD WAS VIEWED AT ALL ANGLES TO THE SUN. THE BIRD WAS FIRST SEEN ABOUT 10 FEET AWAY, THEN 30, AND THEN UP TO 100 FEET.

Optical equipment: 7x50mm binoculars and 25x50mm scope.

Previous experience with species: I HAVE SEEN THIS BIRD THREE TIMES BEFORE IN COLORADO. TWICE THIS YEAR (1984), AND ONCE IN 1981.

References consulted: while observing - FIELD GUIDE TO THE BIRDS by ROGER TORY PETERSON after: AUDUBON MASTER GUIDE TO BIRDING vol. 3 <u>NATIONAL GEOGRAPHIC FIELD GUIDE TO THE</u> BIRDS

FIELD NOTES MADE WHILE OBSERVING, THIS FORM 12/23/84.

DESCRIPTION: SEE NEXT PAGE SIMILAR SPECIES AND HOW ELIMINATED: SEE NEXT PAGE

DESCRIPTION: A medium sized bird, smaller than a Robin, but lager than a Tree Sparrow. The shape was definitely that of a bluebird. The bird had a long thin bill that was dark in color. The breast was pale grayish white, with a hint of blue. It was darker at the top getting lighter towards the belly. The breast had no streakes or spots of any kind. The under tail coverts were almost white. The top of the head and back were a deep sky blue and the overtail coverts and primaries were a brighter blue. The primary wing feathers extended about 2/3 the length of the tail. The tail was not long. The legs were dark. The eye was dark with the feathers around it being slightly lighter in color, although it did not have an eye ring. The flight was that of a bluebird, undulating, with frequent stops to perch on a wire or fence post. It would drop to the ground and then fly back up to a perch. SIMILAR SPECIES: The bird at one glance was definitely a bluebird. The Eastern and Western Bluebirds both have rust markings on their breast and neck. The Eastern Bluebird has a more stocky

shape than the Mountain Bluebird. I had a chance to compare as I had just seen a flock of Easterns about 5 min. before. The immature Eastern has a soeckled breast, this bird had none. The long thin bill eliminates the Shrikes as does the bright blue and the small size.

2

DOCUMENTATION FORM for extraordinary bird sightings in Iowa

84-37

What species? <u>Mountain Bluebird (Stalia currucoides)</u> How many? 13 Ocation? <u>S.W 14 section</u>, <u>Section 24</u>, <u>Bloomington Township</u>, <u>Decator Co.</u>, <u>Jowa</u> Type of habitat? <u>Open hilly farmland near farm buildings with quite a few Red Cedar interspersed</u> When? date(s): <u>December 23</u>, <u>1984</u> time: <u>10:25 a.m.</u> to <u>10:55 a.m.</u> Who?your name and address: <u>Francis L. Moore</u>, <u>336 Fairfield St.</u>, <u>Waterloo</u>, <u>14 50703</u> others with you: <u>Tom Kent</u>, <u>Jeff Livingston</u>

others before or after you: J. Donald Gillaspie before

Describe the bird(s) including only what you observed. Include size, shape, details of all parts (bill, eye, head, neck, back, wing, tail, throat, breast, belly, under tail, legs, feet). Also mention voice and behavior.

This bird was first seen by me in a large deciduous approx 200 yards away on the far side of a Small pood where the bird was drinking from a small hole in the ice. When the bird flew to another location its flight pattern was like that of an Eastern Bluebird (Sialia sialis). After locating the bird at a farm about 14 mil. to the west we watched the bird at close range. The bird looked about the same size as an Eastern Bluebird, with the same shape. The bill was a dark grayish-black color. The eye was black. The feet were black. The throat, auricular area and side of the neck was a bluish-gray color turning to a whitish color on the breast, belly and undertail coverts. there was a bluish or the greater, median and lesser more the same color as the head and nepe but a little deeper blue color. The greater, median and lesser more the same color as the head and nepe but a little deeper blue color. The greater, median and lesser more the same color as the head deeper blue color, a deep sky-blue color. The bird was evidently a male in a plumeage other than its breeding plumeage, possibly a young male, or a first year non-breeding male. I could find nothing on plumeage variations of male birds for the Mountain Bluebird in the literature I looked through. No voice was heard. The bird did, one time, hover near a cedar tree and afterward landed in the cedar free and ate a few of the cedar berries.

Similar species and how eliminated: Eastern and Western Bluebird should show some reddish on the breast, this bird did not. They are also a different color above and below.

Did any one disagree or have reservations about identification? No

If yes, explain:

Viewing conditions: give lighting, distance (how measured), and optical equipment: Excellent viewing conditions, sunny. Seen from approx. to fast at closest using 10×40 Leitz binoculars and Celestron C90 telescope mounted on a Nikkormat FTN camera at 20×.

Previous experience with species and similar ones: Very familiar with Eastern Bluebird; this is my first experience with Mountain Bluebird. References and persons consulted before writing description: None

How long before field notes made? 15 min. this form completed? 11/2 hrs.

MAIL TO: T. H. Kent, Field Reports Editor, 211 Richards Street, Iowa City IA 52240

DOCUMENTATION OF EXTRAORDINARY BIRD SIGHTING

Mountain Bluebird, 1 male, 23 Dec 1984, 2 mi. n. of Lamoni, Decatur Co., Iowa

Observer: Thomas H. Kent, 211 Richards St., Iowa City, IA 52240

Other observers: with Jeff Livingston and Francis Moore; found yesterday on CBC by Livingston and others.

Time: 10:30 to 11:00 AM

- Habitat: Southern Iowa Drift Plain farmland with rolling hills, 2 artificial ponds (frozen) and cedar groves about farmsteds.
- Description: "Obviously a bluebird, all blue. The primaries and part of the secondaries and the shoulder, rump and tail a rather bright blue. The rest of the back, top of the head, and parts of the wing coverts were a paler gray-blue. The underparts were grayish with a blue cast. The throat, upper breast, and flanks were a gray to gray-blue, slightly lighter in the throat. Only the belly and under tail coverts were a white-gray. The bill was dark, although it showed a little light at close range; it was thin and straight. There was a slight grayish cast to the face through and behind the eye. The eye did not have a distinct ring but the feathers were slightly lighter around the eye. The eye was dark. The leg color was not noted, but was dark."

Song: not heard.

- Behavior: "Much like other bluebirds, flying up in the air and landing on a perch. Fairly tame. Ate cedar berries and drank from surface of pond."
- Conditions: As close as 15 feet, light mostly behind observers, used 10X binoculars and 400 mm camera lens.
- Similar species: Entirely blue-gray appearance eliminates Eastern Bluebird. The bill was long and thin, although no Eastern Bluebirds were available for direct comparison. Photos should document bill features.

Agreement: all.

Previous experience: Have seen this species in the west.

- References/time used: I looked at Nat. Geographic Guide before bird found.
- Time of notes/typed: Notes dictated 15 min. after leaving bird. Typed 22 hours later.

DOCUMENTATION FORM for extraordinary bird sightings in Iowa

What Species? The Blueburg male How many? 1. one Location? 3 mile north of Lamine, Some Type of Habitat? Cedor Trees dong Country road When? date(s)? Dec 23, 1984 time: 100 to 130 pm Who? your name and address: Engene Amstrong Boonenllo June others with you: Elaise Gamstron, Dennis Thompson others before or after you: Dow Sillipie; Before

Describe the bird(s) including only what you observed. Include size, shape, details of all parts (bill, eye, head, neck, back, wing, tail, throat, breast, belly, undertail, legs, feet). Also mention voice and behavior.

Steel Blue down book light color on breast white under Tail wings slightly bluer than back dark color on eyebrow sot up right, not hunched like other bluebufs

Similar species and now eliminated: listern Bluebord, slumes bind

Did anyone disagree or have reservations about the identification?

no

If yes, explain:

Viewing conditions: give lighting, distance (how measured), and optical equipment: 7-35 bind. 20x scope 40-50 ft est bright sum light sol on overhed winds. Then flem to reder herries Previous experience with this and similar species: Menoflew in montours of Colo, and them making References and persons consulted before writing description: How long before field notes made? 2 how

84-37 DOCUMENTATION FORM for extraordinary bird sightings in Iowa What species? Mountain Bluebird (Sialia currucoides) How many? Location? Sec. 24 of Bloomington Tranship - Decatur County - Iowa- (Thirth of Lamoni) Type of habitat? Form yard with fairly large Red Cedar grove When? date(s): Dec. 24,1984 time: 1:30 P.M. to 1:45 P.M. Who?your name and address: Robert K. Myers, 1236 Sylvia Ave., Waterloo, Jowa others with you: Betsy Myers (wife) others before or after you: Francis Moore, Tom Kent, et al. Describe the bird(s) including only what you observed. Include size, shape, details of all parts (bill, eye, head, neck, back, wing, tail, throat, breast, belly, under tail, legs, feet). Also mention voice and behavior. Bird was some basic size and shape as on Eastern Bluebird, Tail was slightly notched. The bird showed on almost tern-like or swallow-like flight pattern in The way it would hower near the codar trees. Head, back, throat, and breast were a light blue-gray color. Wings were bluish with the primaries being a darker more vivid blue. The lower bock, rump and tail were a very bright almost glowing blue. Belly and under toil coverts were white. Bill was small and dark. Eyes were dark. Most observors thought the bird was a fin very good plumage. I wonder is the bird might be an imm. of because of the amount of bluish color on threat, breast, and back and because of the overall intensity of the blue in the rump, toil and wings Similar species and how eliminated: Eastern bluebird would show sta some reddish on throat or breast. Smaller more delicate bill and color differences eliminate Pinyon Jay and Blue-groy Tanager Did any one disagree or have reservations about identification? N_{O} If yes, explain:

Viewing conditions: give lighting, distance (how measured), and optical equipment: Bright sunlight - excellent conditions - closest was 20-25 (comma focus distance) -I used B+L 7×35 binoculors and Nikon FE2 with 600 nm lens. Previous experience with species and similar ones: Very fomiliar with Eastern but This is my first Mountain. References and persons consulted before writing description: Birds of North America (Not. Geo. Soc. How long before field notes made? <u>On the spot</u> this form completed? <u>I days</u>

SUPPORTING DETAILS: UNCOMMON OR RARE SPECIES AND/OR SPECIES IN HIGH NUMBERS date 12-2684 Compiler CBC name Observer writing this account and date Other & Otherson, Sec. 26, 1984 SPECIES Mountain Tylenberd NUMBER, AGE, SEX one, adult male Distance from bird(s) with 30' Relative size of bird slightly larger thank HEAD & NECK (Describe forehead, crown, auricular, malar region, median line, etc.) bright blue EYE & LORES (Describe supercilium, ring, stripe, color, etc.) eye dark UPPER & LOWER MANDIBLES black LEGS & FEET dark UPPERPARTS (Describe nape, back, rump, upper tail coverts, etc.) bright blue UNDERPARTS (Describe throat, belly, side, flanks, crissum, etc.) light grey. blue, billy white RECTRICES (Describe inner, middle, outer tail feathers, color pattern, shape, etc.) bright blue WING (Describe color, length, shape, linings, bars, coverts, leading and trailing, edges, etc.) bright blue, no bars, leugth & shape some or Eastern Bluebird VOCALIZATION Song in response to U. Screech O we matchedow up, Bluebin BEHAVIOR Hird flusted from Cedere & then returned to back side, We seconded the short borden's played the m. Sound and + myt Blevebind take, The bird flew upt hovered over brade as well as wo Date of observation $\frac{Dei.26/089}{10455}$ Time 10:55 Weather O.C. Sky cover O.C-1g+ifing Variation Variatio Variation Variation Variation Variation Variation Variatio VaDuration of observation 15 min. Bird - Sun orientation sun completely of Exact location 35 mi, M.E. Lomoni, In-abandourd form area M of groved re 1. E- Formon, A - avonar - Peteren Lewin, Bran Corry Habitat Cedar border Telavie Optical equipment 10KYO burner ADDITIONAL COMMENTS Merther conditions made photography nearly unpossible soit was not attempted.

AN ACCOMPANYING SKETCH OR PHOTOGRAPH CAN BE AN EXCELLENT FURTHER DOCUMENTATION

DOCUMENTATION FORM for extraordinary bird sightings in Iowa
What species? MOUNTAIN BLUEBIRD How many? 1
ocation? NONTH OF LAMONI
Type of habitat? FARMISTEAD - RED LEDAR TREES
When? date(s): 2. JAN, 1985 time: 1:20 to 1:30 PM
Who?your name and address: Jim FULLER, 6 LONG UIEW KNOLL, JOLN (174
others with you:
others before or after you: MOB
Describe the bird(s) including only what you observed. Include size, shape, details
of all parts (bill, eye, head, neck, back, wing, tail, throat, breast, belly, under tail, legs, feet). Also mention voice and behavior.
BIRD CAME TO A TAPED E. SCREECH OWL CALL WITHIN A
- CERMING AND SAT ON A UTILITY LINET RED CERE
TREES- WAS AGITATED WITH OWL CALL
I. GUIFRAL SIZE, SHAPE, ETC.
SMALLER THAN ROBIN, LARGER THAN HOUSE SPARROWS TITLUSH SHAPE. BLUE COLOR OVERALL
BILL - MODERATE LENGTH + SHARP - DARK COLOR
EYE - DARK - DID NOT SEE AN EYE RING
HERD-ROUNDED & BLUE COLOR
BACK LWINGS - UERY BLUE -NO OTNER MARKINGS BREAST - A LIGHTER & GRAYER BLUE THAN BAULT WINGS
TAIL - BLUE - MODERATE LENGTH + NOTCHED
OBSERVED EATING RED CEDAR BERRIES.
Similar species and how eliminated: EASTERN BLUEBILD-NO ORPANE ON BALLAST
Did any one disagree or have reservations about identification?
If yes, explain:
Viewing conditions: give lighting, distance (how measured), and optical equipment: Sammy - MID DAY - SUN TO BACK SX40 BINOCUCARS ULEWED AT 25-50 FEET.
Previous experience with species and similar ones: MOUNTRING OF COLORADO
References and persons consulted before writing description:
How long before field notes made? INMEDIATE this form completed? 7 Hours
MAIL TO: T. H. Kent, Field Reports Editor, 211 Richards Street, Iowa City IA 52240

DOCUMENTATION FORM for extraordinary bird sightings in Iowa 84-33 What species? MOUNTAIN BUIEBIRD How many? A DULT MACE DECATUR . G Location? C. 3 mi. NOF LAMONI, Type of habitat? ADANDONED FARMSTEAD W/ CEDAR UROUFS When? date(s): 17 JAN 1985 time: 11:55 AM to NOON 774. As IOLA GN 52240 Who?your name and address: CARC J. BENDURF 825 others with you: others before or after you: KENT, Marce Petrican, Giunsper, ARmsterner, et al. Describe the bird(s) including only what you observed. Include size, shape, details of all parts (bill, eye, head, neck, back, wing, tail, throat, breast, belly, under tail, legs, feet). Also mention voice and behavior. 30 fr dead thee, About bien briefly punded in top of E. Blackid but posture more horizontal much lite a Suge of lest upropert and hunch backed the E. Bluebid. Relan. upper parts love inform pastel blue aston. Undapats Ontre inform lighter gray blue shading lighter toward whe under belly. Bill was black and straight, much thomas Man E. Bruchid. Legs black and lorgish In a blochid blach. Eye Similar species and how eliminated:

Did any one disagree or have reservations about identification?

If yes, explain:

Viewing conditions: give lighting, distance (how measured), and optical equipment: about 20 Yds with 7X brins, bright an aut why bak. Previous experience with species and similar ones: - 2nd sighting Mbutin, References and persons consulted before writing description: How long before field notes made? <u>10 MIN</u> this form completed? <u>B hons</u>. MAIL TO: T. H. Kent, Field Reports Editor, 211 Richards Street, Iowa City IA 52240 BIRDS: VERIFYING DOCUMENTATION OF AN EXTRAORDINARY SIGHT RECORD

1. Species Mountian Bluebirk 2. Number (1) 3. Location 4 mi NNE of Lamoni, Iowa 52544 4. Date:/-20-85 5. Time Bird Seen: 10:15 AM to 10:45 AM 6. Description of size, shape and color-pattern (describe in great detail all parts of the plumage, and beak and feet coloration, in addition, to the diagnostic characteristics, but include only what actually was seen in the field): Unnistakeable Light-Blue Bluebind shaped Bird -7. Description of voice, if heard: NOT HEARD 8. Description of behavior: HoverED while feeding on Ledar bernies otherwise it set nervously on the Cedars sunning itself 9. Habitat - general: Farm stead Cedar Grove specific: 10. Similarly appearing species which are eliminated by questions 6, 7 & 8. Explain: NONC 11. Distance (how measured)? 15 ft ast 12. Optical equipment: 9x35 Biwocultus 13. Light (sky, light on bird, position of sun in relation to bird and you): Excellent Light - clear - sun at back 14. Previous experience with this species and similarly appearing species: seen before california 1970 15. Other observers: Jon Johnson Protographed 16. Did the others agree with your identification? Yes-17. Other observers who independently identified this bird: Many 18. Books, illustrations and advice consulted, and how did these influence this description: None 19. How long after observing this bird did you first write this description? Kaymond L. Cummun Address: 37-85 Signature: Centerville City, State: Iowa 52544

Date: 3-1-85

84-37

84-37

Mountain Bluebird -1 Feb 2, 1985 3 miles Noflamoni, Joura

Description: I very blue male. Size + shape as the Eastern Bluebirds with it. Bright Blue. Back, the a brighter, Lorker blue. Grown - breast a gray blue. Belly white, Bill narrow. Shade of blue lighter than the of Easter B hebirds with A. Ends of primaries look black. Rump + tail a really shing blue, Seems danker through the eye.

Similarspecies: Blue coloration on underparts seperates this from the other bluebid species

Viewing conditions : WSW of us. Sunny day. Morning - 10:30? 8x binocs. Using field guides. In not sure of distorce, but it isn't for. Sawit 5 or 10 minutes

Notes written while seeing bird.

Barbara L Wilson Rt (Box 4) Hostings, 2,51540