(PLEASE PRINT OR TYPE)

SUPPORTING DETAILS: UNCOMMON OR RARE SPECIES/HIGH NUMBERS

| CBC Name Shenandoah, IA Date 1-4-97 Compiler Barbara Cunningham |
|--|
| Observer writing this account & date Laurence L. Falk, Ph.D., 2-12-97 |
| Regulus calendula SPECIESRuby-crowned Kinglet NUMBER, AGE, SEX 3 At least one was female |
| Distance from bird(s) ft at closest Relative size of bird Wren size |
| HEAD & NECK (Describe forehead, crown, auricular, malar region, median line, etc.) Head was gray without eye line. Displayed little color in crown, that is no golden or yellow was visible. Kept red mostly covered. |
| EYE & LORES (Describe supercilium, ring, stripe, color, etc.) |
| UPPER & LOWER MANDIBLES Mandibles were dark |
| LEGS & FEET Dark legs |
| UPPERPARTS (Describe nape, back, rump, upper tail coverts, etc.) Body was gray from nape through retrices with prominant white wing patch. Except for the wing patch, coloration was fairly uniform on upper parts. |
| UNDERPARTS (Describe throat, belly, side, flanks, crissum, etc.) The underside was buffy-gray with lighter coverts on the underside of the tail. |
| RECTRICES (Describe inner, middle, outer tail feathers, color pattern shape etc.) Grayto dark gray on upper retices with end slightly notched. Under sidelight gray |
| WING (Describe color, length, shape, linings, bars, coverts, leading & trailing edges, etc.) wings extended beyong butt area being light on underside and with distinct light bar. No yellow's coloration was visible on lower end of wings as in the GC Kinglet |
| VOCALIZATION |
| BEHAVIOR Birds displayed the quick, restless motion typical of Kinglets. They flitted around lower branches of trees searching food. |
| Date of observation 1-4-97 Time 10:45 a. Weather windy Sky cloudy |
| Duration of observation several min. Bird - Sun orientation sun not visible |
| Exact location In riparian habitat searching food in deciduous trees and shurbs from several |
| Hattat fround to 20 ft Other observers There were six persons in our group, five others Optical equipment Binoculars ranging from 7x to 10 x |
| ADDITIONAL COMMENTS The basic question is whether these were RC or GC Kinglets. These |
| displayed no yellow on the crowner on thewings. They did not display the more constrasting light and dark of the GC. They did not have the lighter eyeline. |
| AN ACCOMPANYING SPETCH OF PHOTOGRAPH CAN BE MOST HELDELT |