For Extraordinary Bird Signtings in lowa
What species? Lincoln's Spanon How many? 4
Location? Des Mornes River Bottom North of Pt. # 17 Bridge
Type of Habitat? scrubby fello with variable bush, weed, thistle, bramble
When? date(s): December 18, 1988 : time: 8.4 to 12 A
When? date(s): December 18, 1988 : time: 8. A to 12 A Who? your name and address: Anchew S. Fix 153-C University Village Arms DA
Others with you: Mark Proschold
Others before or after you:
Describe the bird(s) including only what you observed. Include size, shape, details of all parts (bill, eye,
head, neck, back, wing, tall, throat, breast, belly, undertall, legs, feel, his memory to bridge,
Lyongs of 2 birds seen; I set of 2 at about 8:30 Am just North of 17 bridge, second set of 2 seen at about 11:30 just South of 210 Bridge at madrid
sound set of 2 seen at about 11:30 just south of 210 Bridge at made of All 4 mition deads for the following Leseing bies: Sparans with fine breast streaks on a briffy breast withat control sport sparans with fine breast streaks on a briffy breast; tails fairly short and birds setted somewhat sleet; tails fairly short and birds setted somewhat; faint eye ring
spanows with find birds seted somewhat sleet;
tails fairly short and birds sected somewhat; faint eye ring belly Bale and anstreaked; buffy breast; faint eye ring
Song spanow: These birds (Liveoln's spanows) were smaller and had shorter trus then say spanows, smaller and had shorter trus then say spanows, also lorded unival sgut, and had Souffy brecosts, also lorded unival sgut, and had Souffy brecosts, also
Similar species; how eliminated: Similar species; how eliminated: flight was not the characteristic pumping flight
of 5 mg spinar
Smannel spaner : Also birds lacked yellow loves and were in entirely borrowy habidat for Samuel's and head A suffry, fine structed breast
A suffey, fine somecled breast
Did any one disagree or have reservations about the identification? If yes, explain:
Viewing conditions: give lighting, distance (how measured), optical equipment.
Viewing conditions: give lighting, distance (how measured), optical equipment. Both times viewing was mid morning is good light, first birds seen together at about 15 ft; did birds seen from about 25 ft. with 8.5 x Binoculars Previous experience with species and similar ones: Rock monus:
Previous experience with species and similar ones: two sen Lincoln's in Canada and an Jumme buckling account Rocky monus: Avanual's are quit common in fields locally. References and persons consulted before writing description: Birds of North America
References and persons consulted before writing description: Birds of Now America
How long before field notes made? 3 Lags this form completed? 3 Lags
Send completed form to Field Reports or CBC editor (address on back cover of Iowa Bird Life).