

FIELD REPORT FALL 1977

Great Egret: easily found on Mississippi along Allamakee Co. border during early fall, with up to eight still at Lock #9 on Oct. I5.

Am. Bittern: one found at Cardinal Marsh (Winneshiek Co.) on two occasions, Aug 7, and IO.

Am. Black Duck: small numbers found, seven to ten at Lock #9 during Oct. and also five at Sweet Marsh (Bremer Co.) on Nov. II.

Hooded Merganser: seven at Meyer Lake (Winnishiek Co.) on Nov. IO. Sharp-shinned Hawk: excellent numbers of fall migrants, with a total of 29 observed between Sept. 4, and Nov. 26, in N.E. counties (which inclueds Allamakee, Bremer, Fayette, and Winneshiek). What could be called waves of Sharp-shinneds occured on Sept. II, and I7. A further brakedown of numbers has 27 in Sept., I in Oct., and Iin Nov.. Most were found between Sept. II and Sept. 24, during this time 20 were seen.

Cooper's Hawk: only one was positively seen at St. Lucas on Sept. IO.
Red-shouldered Hawk: one immature was found at Sweet Marsh on Aug. I3.
Broad-winged Hawk: a kettle of 67 was seen at Waucoma on Sept. 24.
Swainson's Hawk: one found at Ridgeway (Winneshiek Co.) on Aug. IO.
Osprey: four found; one at Sumner(Bremer Co.), one at Lock #9, two near
St. Lucas, all were found in Sept.

Turkey: small numbers were found regularly in the Volga Lake Rec. Area (Fayette Co.) during the period, usually Ito 3 birds.

Sora: abundant this fall in marshy habitat during the first two weeks of

Baird's Sandpiper: six at Cardinal Marsh on Aug. 13.

Forestor's Tern: eight at Sweet Marsh on SEXEXXXX Aug. 13.

Caspian Tern: nine at Sweet Marsh onSept. II.

Black Tern: the maximum at Sweet Marsh was 13 on Aug 8.

Short-eared Owl: two found at St. Lucas, one on the IOth of Oct, another on the 28th of Nov.

Common Nighthawk: had a very poor fall migration, few seen.

Red-headed Woodpecker: 80% to 90% of this woodpecker moved out of Fayette Co.. This is the lowest number of wintering birds in memory, the C.B.C.s could be of help in finding just where these birds move to. Moving Red-heads were seen flying in the morning hours at a good hieght, heading in a S.W. direction during the last two weeks of Sept..

Olive-sided Flycatcher: two records, one at Sweet Marsh on Aug. 13, and one at Meyer Lake on Sept. 4.

Red-breasted Nuthatch: good invasion, first ones were found on Sept. 5, singles are still seen regularly.

Gray-cheecked Thrush: a record early one was found on Aug. I4, at Meyer Lake was the only one seen.

Water Pipit: were first found on Oct. 22, and seen regularly after that till Nov. 5, in fields around St. Lucas. Maximums wax were ten on Oct. 26, and six on Nov. 5.

Northern Shrike:: an early one on Oct. 25 near St. Lucas.

Philadelphia Were Vireo: a total of I2 seen all were found in Sept between the 3rd and the I4th; one at Meyer Lake, on Sept. 3, two at St. Lucas on Sept. 4, two at Echo Valley S.P. (Fayette Co.) on Sept 7, an what could be called a wave, with six at St. Lucas on the IOTh and as many as four were seen neaftby simultaneously, and one at Echo Valley again on the I4th.

Golden- winged Warbler: two found at St. Lucas, one on the Ist and 5th of Sept..

Tennesses Warbler: early at Cardinal Marsh on Aug. IO.

Shire

With Sept 5 - Hickory Hill Bay-breezed. 8 T. Slives, Iowa City

10 other wondless (bet Fall)

Sept 9
Osprey - 1 (Kent Pank)
(also Oct 12 - Over Ic)

Sept 3

N. Phalanope

R- br. Nuthutca - 2

Lote Dates

Might hack - Oct 14

Oct 16

Donelle. Cr. Cormacar -1

= Nanville warkles 1 { Late }

Det 31 (Big Bend anea)
Western Grebp.
Blue/Snow Goods.
Red-breated Mergense.
Rough-legged Hand
Belted Kingkisher.
Benaput Guel (all of Oct)