Form for Reporting lowa Christmas Bird Counts to Iowa Bird Life

| oto National Wildlife Refuge | | Canada Goose |
|---|---|---------------------------------|
| 03 , 01 , 88 | Day/Month/Year of Count | npiler: K. L. Drews |
| 66 | Number of Species Add | ress: R-1, Box 113 |
| 77,842 | Total Number of Birds | ssouri Valley, IA 51555 |
| Data for Field Parties (do not in | clude feeder watching or owling here) | Terrier carrier |
| 36 | Number of Field Observers | |
| Total Pack Dack | Number of Field Parties | |
| . 64.5 | Total Field-Party Hours (sum of hrs for all parties) | |
| 526 | Party-Miles by Car (sum for all parties | 32 American Kestreli |
| list) ballid-yang 25 | Party-Miles by Foot Other mi | les, mode |
| Owling (predawn, post-sunset onl | White-crowned Sparrow | Nerthern Roberting Common Salpe |
| ger Westlong - 14 | Total Party-Hours Owling | |
| Feeder Birding | Total Party-miles Owling | |
| | Number of Feeder Parties (feeder locat | ions) |
| Brown Thusber O Bolemian Waxwing | Number of Feeder Observers | Iwo barra-gno.i |
| Vellow-rumped Warbler O H nfoos-sided Towhee | Total Feeder-Party Hours | |
| Veather (data from newspaper if | available) | |
| 13,27 | Temperature, low/high | |
| 0.1 | Snow Cover, Average Inches | |
| | Wind, Velocity Range, mph | |
| NW NW | Wind, Predominant Direction | |
| | Sky conditions (circle best descriptor for a.m. and p.m. | |
| a.m.: clear, partly cloudy, cloudy | rain, sleet, snow | |
| p.m.: clear, partly cloudy, cloudy | rain, sleet, snow | |
| 01 | ting last year's observers for your count | W.or med baseferror best |

Observers: A sheet is attached listing last year's observers for your count. Check those that participated this year (cross out those that did not), correct misspelled names, mark with an "f" those that only participated as feeder watchers, and add additional participants to the list.

| | | | | Uncommon Species |
|------------|-------------------------------------|----------------|-------------------------|------------------------|
| l C- | | 1.71 | Horned Lark | Pied-billed Grebe |
| egular Sp | | | Blue Jay | *Tundra Swan |
| - 0 | reat Blue Heron | | American Crow | *Mute Swan |
| | nada Goose | | Black-capped Chickadee | 6 White-fronted Goose |
| | ood Duck | 399 | | 32,323 Snow Goose |
| | n. Black Duck | 1_ | Tufted Titmouse | Green-winged Teal |
| | allard | | Red-breasted Nuthatch | 1 Northern Pintail |
| 9 Ca | nvasback | 81 | White-breasted Nuthatch | 11 Northern Shoveler |
| | esser Scaup | 10 | Brown Creeper | 4 Gadwall |
| 60 Co | ommon Goldeneye | 1_ | Winter Wren | 7 American Wigeon |
| 22 Co | ommon Merganser | 26 | Golden-crowned Kinglet | 3 Redhead |
| | ald Eagle | 3_ | Eastern Bluebird | 11 Ring-necked Duck |
| | orthern Harrier | 40 | American Robin | |
| | arp-shinned Hawk | 60 | Cedar Waxwing | Bufflehead |
| | poper's Hawk | - | Northern Shrike | Hooded Merganser |
| | ccipiter sp. | | Loggerhead Shrike | Red-breasted Merganser |
| | orthern Goshawk | | Shrike sp. | Ruddy Duck |
| | | 1,641 | European Starling | *Osprey |
| | ed-tailed Hawk | 202 | Northern Cardinal | *Merlin |
| | | 755 | American Tree Sparrow | 1 *Prairie Falcon |
| | ough-legged Hawk merican Kestrel | | +Field Sparrow | Ruffed Grouse |
| | | DESCRIPTION OF | Fox Sparrow | 11 American Coot |
| | ray Partridge | | Song Sparrow | Killdeer |
| | ing-necked Pheasant | | Swamp Sparrow | Ring-billed Gull |
| | ild Turkey | | White-throated Sparrow | Glaucous Gull |
| | orthern Bobwhite | | | Snowy Owl |
| | ommon Snipe | | White-crowned Sparrow | N. Saw-whet Owl |
| | erring Gull | 52 | Harris' Sparrow | Carolina Wren |
| 2 R | ock Dove | 1,246 | Dark-eyed Junco | +Ruby-crowned Kinglet |
| M | fourning Dove | | Lapland Longspur | *Townsend's Solitaire |
| 6 E | astern Screech-Owl | | Snow Bunting | Hermit Thrush |
| 5 G | reat Horned Owl | 736 | Red-winged Blackbird | Northern Mockingbird |
| B | arred Owl | 41 | Meadowlark sp. | Brown Thrasher |
| L | ong-eared Owl | 2 | Rusty Blackbird | |
| | hort-eared Owl | | +Brewer's Blackbird | +Bohemian Waxwing |
| | elted Kingfisher | 1 | Common Grackle | *Yellow-rumped Warbler |
| | ked-headed Woodpecker | | Brown-headed Cowbird | 1 Rufous-sided Towhee |
| | ked-bellied Woodpecker | 3 | Purple Finch | *Lincoln's Sparrow |
| | ellow-bellied Sapsucker | | Common Redpoll | +Western Meadowlark |
| | | | Pine Siskin | Yellow-headed Blackbin |
| | Downy Woodpecker | 109 | American Goldfinch | Pine Grosbeak |
| | Hairy Woodpecker | 195 | Even Grosbeak | *House Finch |
| | Northern Flicker | 2,569 | House Sparrow | Red Crossbill |
| P | Pileated Woodpecker | 2,309 | House Sparrow | White-winged Crossbill |

^{+ =} details from observer required; accipiters and shrikes will be counted as sp. unless convincing details given.

All details and documentations should be printed in black pen or typed.

Send-completed form to W. Ross Silcock, Box 300, Tabor, IA 51653 as soon after the count as possible.

sparrow, sp. - 2; blackbird, sp. - 12

Reports received after 15 January 1987 cannot be include in the report.

^{* =} documentation by observer(s) required; use official IOU form enclosed (make copies as needed).

