Dear Jom,

Enclosed are my notes on a Phoebe I saw on Sunday. Sont know what he could be lating after our cold weather, but he looked healthy. We also have a male eastern race Rufous-sided Towhee still hanging around as of this morning, as well as several Red headed woodpeckers. Lorry to be so slow in getting you some help on the checklist publishing question and archiering of records, but I still have a couple of people to talk to. Will get back to you soon, I promise

Hope your fall is going well

Jues 11-12-91

Barton

Sincerely, ann

11-10-91 Eastern Phoebe Seen about 3 PM when it flew up + perched 8' up in a tree by the creek in a protected wooded area - Lost Creek Woods, lastern Scott Co. Initial impression was that it was a Junco, but the tail didn't show any white, and it was Constantly pumping. Front of bird not clearly visible sence it sat with its back to me, but I could see the sides. Head dark brown; back lighter brown. Throat + sides of face white. Very slight hint of buffy wing bars - this must have been a young bird. No eye ring - eye clearly

Alen when it terned its head toward me. Bill appeared to be all dark, but not well visualized. Overall oppearance suggested a flycatcher strongly. By far the most conspicuous behavior was the constant tail movement. lifter 2 min. or so, the bird flew + I could see its front was whitish as it flew. Seen from about 20-25' with 10 × 40 Leitz benocs. - ann M. Barker sat with its black to me, but I Could see the sides. Head dail maumi back lighter prounci Throat + side of face white . they slight hist of buffy wing be this must have been a egawag hird. No eye ring - eye clearly